


Viking Pricing Master MEXICO, 2024


BUILDER SCHEDULE: BP





OUTDOOR

Viking Pricing Master MEXICO, 2024



VQGI Outdoor 30/36/42/54"W. Gas Grills



VQGI5421

VQGI Outdoor Gas Grills

· 30"W. Grill - VQGI5301

- One cast brass burner and one ProSear 2[™] Burner (48,000 BTUs)
- 840-sq.-in. cooking surface (600 primary, 240 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

· 36"W. Grill - VQGI5361

- Two cast brass burners and one ProSear 2[™] Burner (73,000 BTUs)
- 935-sq.-in. cooking surface (640 primary, 295 secondary)
- Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

· 42"W. Grill - VQGI5421

- Two cast brass burners and one ProSear 2™ Burner (total 73,000 BTUs)
- 1200-sq.-in. cooking surface (855 primary, 345 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (16,000 BTUs)

· 54"W. Grill - VQGI5541

- Three cast brass burners and one ProSear 2™ Burner (98,000 BTUs)
- 1555-sq.-in. cooking surface (1110 primary, 445 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and 2 rear infrared burners (28,000 BTUs)
- · Control illumination with blue LEDs
- · Hot surface ignition system
- · Dual halogen grill surface lights
- · Temperature gauge
- Premium smoker box included
- · Stainless steel grilling grates
- Ceramic Briquettes facilitate even radiant heat distribution
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

Model	Finish	Description	USD	WT lb (kg)
VQGI5301L	SS	30"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane)	\$6,929	231 (104.8)
VQGI5301N	SS	30"W. Built-in Grill with ProSear Burner and Rotisserie (Natural)	\$6,929	231 (104.8)
VQGI5361L	SS	36"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane)	\$9,635	278 (126.1)
VQGI5361N	SS	36"W. Built-in Grill with ProSear Burner and Rotisserie (Natural)	\$9,635	278 (126.1)
VQGI5421L	SS	42"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane)	\$10,636	338 (153.3)
VQGI5421N	SS	42"W. Built-in Grill with ProSear Burner and Rotisserie (Natural)	\$10,636	338 (153.3)
VQGI5541L	SS	54"W. Built-in Grill with ProSear Burner and Rotisserie (LP/Propane)	\$12,770	421 (191.0)
VQGI5541N	SS	54"W. Built-in Grill with ProSear Burner and Rotisserie (Natural)	\$12,770	421 (191.0)

ACCESSORIES

Model	Finish	Description	USD	WT lb (kg)
VIJ5301	N/A	Insulated Jacket for 30"W. Grill	\$1,165	58 (26.3)
VIJ5361	N/A	Insulated Jacket for 36"W. Grill	\$1,209	58 (26.3)
VIJ5421	N/A	Insulated Jacket for 42"W. Grill	\$1,231	71 (32.2)
VIJ5541	N/A	Insulated Jacket for 54"W. Grill	\$1,319	88 (39.9)

VQGFS Outdoor 30/36/42/54"W. Gas Grills with Carts



VQGFS5421

VQGFS Outdoor Gas Grills with Carts

· 30"W. Grill and Cart - VQGFS5301

- One cast brass burner and one ProSear 2[™] Burner (48,000 BTUs)
- 840-sq.-in. cooking surface (600 primary, 240 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

· 36"W. Grill and Cart - VQGFS5361

- Two cast brass burners and one ProSear 2™ Burner (73,000 BTUs)
- 935-sq.-in. cooking surface (640 primary, 295 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (14,000 BTUs)

· 42"W. Grill and Cart - VQGFS5421

- Two cast brass burners and one ProSear 2™ Burner (total 73,000 BTUs)
- 1200-sq.-in. cooking surface (855 primary, 345 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and rear infrared burner (16,000 BTUs)

• 54"W. Grill and Cart - VQGFS5541

- Three cast brass burners and one ProSear 2[™] Burner (98,000 BTUs)
- 1555-sq.-in. cooking surface (1110 primary, 445 secondary)
- · Dual-position rotisserie with heavy-duty, 3-speed motor and 2 rear infrared burners (28,000 BTUs)
- Control illumination with blue LEDs
- · Hot surface ignition system
- · Dual halogen grill surface lights
- · Temperature gauge
- Premium smoker box included
- · Stainless steel grilling grates
- · Ceramic Briquettes facilitate even radiant heat distribution
- Heavy-duty welded construction eliminates gaps where grease and moisture can collect

Model	Finish	Description	USD	WT lb (kg)
VQGFS5301L	SS	30"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane)	\$7,886	352 (159.7)
VQGFS5301N	SS	30"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)	\$7,886	352 (159.7)
VQGFS5361L	SS	36"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane)	\$11,802	403 (182.8)
VQGFS5361N	SS	36"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)	\$11,802	403 (182.8)
VQGFS5421L	SS	42"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane)	\$12,770	524 (237.7)
VQGFS5421N	SS	42"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)	\$12,770	524 (237.7)
VQGFS5541L	SS	54"W. Freestanding Grill with ProSear Burner and Rotisserie (LP/Propane)	\$15,938	627 (284.4)
VQGFS5541N	SS	54"W. Freestanding Grill with ProSear Burner and Rotisserie (Natural)	\$15,938	627 (284.4)

VQGSB Outdoor Gas Burner and VQGPB Outdoor Power Burner



VQGSB5131

13"W. Double Side Burners

- Two 15,000 BTU brass burners capable of delivering intense high heat and a low simmer
- Burners and burner basin are sealed and easy to clean
- · Hot surface ignition system
- Control illumination with blue LEDs
- Stainless steel cover protects the burner(s) when not in use
- ${}^{\textstyle \bullet} \mbox{ Heavy-duty welded construction eliminates gaps where grease and moisture can collect}$

Model	Finish	Description	USD	WT lb (kg)
VQGSB5131L	SS	13"W. Double Side Burner (LP/Propane)	\$2,342	48 (21.8)
VQGSB5131N	SS	13"W. Double Side Burner (Natural)	\$2,342	48 (21.8)
VIJSB2	N/A	Side Burner Insulated Jacket	\$1,000	37 (16.8)



20"W. Power Burner

- Dual-ring cast brass burner
- Maximum heat control (3,000 BTU up to 46,000 BTU)
- $\hbox{\bf \cdot} \ {\sf Large \ stainless \ steel \ grate \ surface \ accommodates \ an \ oversized \ stockpot}$
- Removable center grate allows use of a commercial-style wok
- Hot surface ignition system
- · Control illumination with blue LEDs
- Fully extendable drip pan
- Removable stainless steel cover protects the unit when not it use

VQGPB5201

Model	Finish	Description	USD	WT lb (kg)
VQGPB5201L	SS	20"W. Power Burner - (LP/Propane)	\$3,431	78 (35.9)
VQGPB5201N	SS	20"W. Power Burner - (Natural)	\$3,431	78 (35.9)
VIJPB	N/A	Power Burner Insulated Jacket	\$1,110	45 (20.4)

VQEWD Outdoor 30"W. Warming Drawer / 42"W. Convenience Center with 30"W. Warming Drawer



Outdoor 30"W. Warming Drawer

- Temperature settings from 90° to 220° offer the flexibly needed to keep breads warm or poultry piping hot
- Equipped with two removable steam pans, lids and steam racks
- · Moist and crisp settings allow you to keep food at the desired texture
- · Concealed heating element allows you to use the drawer as a towel or robe warmer
- "On" indicator light reminds you that the drawer is on
- · Weather resistant stainless steel construction and polished highlights

Model	Finish	Description	USD	WT lb (kg)
VQEWD5301	SS	30"W. Warming Drawer	\$3,310	75 (34.0)



VQEWD5421

Outdoor 42"W. Convenience Center with 30"W. Warming Drawer

- Warming drawer, LP Tank Storage Cabinet and Utility Drawer in one convenient unit
- Sliding LP tank tray for safe and easy LP tank access
- · Full width and depth utility drawer accommodates oversized grill tools, towels and condiments
- Temperature settings from 90° to 220° offer the flexibility needed to keep breads warm or poultry piping hot
- Warmer drawer is equipped with two removable steam pans, lids and steam racks
- · Moist and crisp settings allow you to keep food at the desired texture
- · Concealed heating element allows you to use the warming drawer as a towel or robe warmer
- "On" indicator light reminds you that the drawer is on
- Weather resistant stainless steel construction and polished headlights

Model	Finish	Description	USD	WT lb (kg)
VQEWD5421	SS	42"W. Convenience Center with 30"W. Warming Drawer	\$5,433	215 (97.5)

Accessories

Outdoor Access Door and Drawers

Model	Finish	Description	USD	WT lb (kg)
VOADS5181	SS	18"W. Single Access Door	\$626	12 (5.4)
VOADS5241	SS	24"W. Single Access Door	\$703	20 (9.1)
VOADD5301	SS	30"W. Double Access Door	\$857	23 (10.4)
VOADD5361	SS	36"W. Double Access Door	\$1,011	30 (13.6)
VOADD5421	SS	42"W. Double Access Door	\$1,121	68 (30.8)
VODRD5191	SS	19"W. Double Drawers	\$2,023	68 (30.8)
VOADDR5301	SS	30"W. Double Drawer and Access Door Combo	\$2,111	74 (33.6)
VOADDR5361	SS	36"W. Double Drawer and Access Door Combo	\$2,331	84 (38.1)
VOADDR5421	SS	42"W. Double Drawer and Access Door Combo	\$2,485	94 (42.6)

Outdoor Grill Vinyl Covers

Model	Finish	Description	USD	WT lb (kg)
CQ530BI	N/A	30"W. Outdoor Built-In - Vinyl Cover	\$296	4 (1.8)
CQ536BI	N/A	36"W. Outdoor Built-In - Vinyl Cover	\$307	4 (1.8)
CQ542BI	N/A	42"W. Outdoor Built-In - Vinyl Cover	\$318	5 (2.3)
CQ554BI	N/A	54"W. Outdoor Built-In - Vinyl Cover	\$384	6 (2.7)
CQ530C	N/A	30"W. Outdoor Freestanding - Vinyl Cover	\$384	9 (4.1)
CQ536C	N/A	36"W. Outdoor Freestanding - Vinyl Cover	\$395	9 (4.1)
CQ542C	N/A	42"W. Outdoor Freestanding - Vinyl Cover	\$450	10 (4.5)
CQ554C	N/A	54"W. Outdoor Freestanding - Vinyl Cover	\$516	12 (4.5)

Outdoor Grill Wind Guards

Model	Finish	Description	USD	WT lb (kg)
WGO300	N/A	30"W. Outdoor Wind Guard	\$208	18 (8.2)
WGO360	N/A	36"W. Outdoor Wind Guard	\$241	22 (10.0)
WGO420	N/A	42"W. Outdoor Wind Guard	\$285	25 (11.3)
WGO540	N/A	54"W. Outdoor Wind Guard	\$307	31 (14.1)

Outdoor Grill Accessories

Model	Finish	Description	USD	WT lb (kg)
LASK1	N/A	Accessory Switch Kit - Switch & transformer to operate an accessory	\$153	8 (3.6)
LPEK1	N/A	12 foot extension cord between Grill and Accessory	\$32	1 (0.5)
PROLPK1	N/A	Professional Outdoor NG to LP Conv Kit	\$153	3 (1.4)
PRONGK1	N/A	Professional Outdoor LP to NG Conv Kit	\$98	3 (1.4)

Outdoor Storage Drawers, Access Doors, and Accessories



SD5301



SD5361

Built-In 30" and 36"W. Outdoor Storage Drawers

- Commercial-type size, construction, design and styling
- Sealed for protection against the elements
- · Stainless steel roller bearing glides
- Extra large capacity for storing BBQ tools, accessories and seasonings
- **SD5300** 30"W. model: 24 ½"W. x 23"D. x 5 1/8"H. 1.9 cu. ft.
- **SD5360** 36"W. model: 30 1/2"W. x 23"D. x 5 7/2"H. 2.4 cu. ft.
- · Can be built-in indoors as well as outdoors

Model	Finish	Description	USD	WT lb (kg)
SD5301	SS	30"W. Storage Drawer – 5 Series	\$1,616	97 (43.5)
SD5361	SS	36"W. Storage Drawer – 5 Series	\$1,803	112 (50.4)



AD51620



AD52820

Access Doors

- Rugged stainless steel construction
- · Stainless steel tubular handles
- Hidden pivot point hinges
- · AD51620
- · Single Access Door
- Each door is approximately 16"W. x 20"H.
- Over all dimensions are approximately 20"W. x 23"H.

· AD52820

- · Double Access Door
- Each door is approximately 14"W. x 20"H
- Over all dimensions are approximately 32"W. x 23"H.

Model	Finish	Description	USD	WT lb (kg)
AD51620	SS	Single Access Door – 5 Series	\$549	50 (22.5)
AD52820	SS	Double Access Door – 5 Series	\$835	75 (32.8)

VRUO and VDUO Outdoor Undercounter/Freestanding 24"W. Refrigerators



24"W. Refrigerator with Interior Drawer

- 5.1 cu. ft. capacity stores (146) 12-oz cans
- · Easy access door storage accommodates tall bottles
- · Cantilevered, fully adjustable stainless steel slide-out full width shelf
- Smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Also includes (1) roller-glide and (1) half-width cantilevered, fully adjustable perforated stainless steel shelf and (1) fixed steel-framed glass shelf
- · Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- Thermal-efficient cabinet insulates cooling environment and conserves energy while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature 34°F to 60°F
- Features easy-to-use settings and options
- Corrosion-resistant stainless steel exterior and rugged stainless steel toe kick
- Bright Arctic White interior easily wipes clean
- Efficient Arctic White LED lighting brightly illuminates interior for better viewing of contents
- Stainless steel toe kick adjustable to 4" with leveling legs

Model	Finish	Description	USD	WT lb (kg)
VRUO5241D (R/L)*	SS	Viking Door – 5 Series	\$5,147	160 (72.6)

^{*} R = right hinge; L = left hinge



24"W. Refrigerated Drawers

- 5.0 cu. ft. capacity stores (108) 12-oz cans in two large-capacity roller-glide drawers
- · Dynamic cooling technology delivers rapid cool down, frost-free operation and precise temperature stability
- · Thermal-efficient cabinet insulates cooling environment and conserves energy while maximizing capacity
- Multifunction controls allows selection of precise cabinet temperature 34°F to 60°F
- Features easy-to-use settings and options
- Drawer interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Efficient Arctic White LED lighting brightly illuminates interior for better viewing of contents
- Corrosion-resistant stainless steel exterior and rugged stainless steel toe kick
- Stainless steel toe kick adjustable to 4" with leveling legs

Model	Finish	Description	USD	WT lb (kg)
VDUO5241D	SS	5 Series	\$6,313	160 (72.6)

FGIM/FPIM/FGNI/FPNI Outdoor Undercounter/Freestanding 15"W. Ice Machines



Door Panel

15"W. Clear Ice Machines

- Produces up to 65 lbs. of clear ice per day
- 26 lb. capacity ice bin
- 1" x 1 1/8" x 1 1/4" cube size
- · LED light
- LED control panel
- · Water quality sensor
- Stainless steel exterior cabinet
- · Tru-Flush™ Design
- · Stainless Steel handle and door panel sold separately

Model	Finish	Description	USD	WT lb (kg)
FGIM5151	N/A	Gravity Drain – 5 Series – Accepts custom panel or Viking door panel	\$6,005	113 (50.9)
FPIM5151	N/A	Drain Pump – 5 Series– Accepts custom panel or Viking door panel	\$6,467	118 (53.1)



Shown with Professional Door Panel

15"W. Nugget Ice Machines

- Produces up to 80 lbs. of nugget ice per day
- 26 lb. capacity ice bin
- · Soft and chewable ice
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design
- Stainless Steel handle and door panel sold separately

Model	Finish	Description	USD	WT lb (kg)
FGNI515	N/A	Gravity Drain – 5 Series – Accepts custom panel or Viking door panel	\$7,061	124 (56.2)
FPNI515	N/A	Drain Pump – 5 Series– Accepts custom panel or Viking door panel	\$7,534	129 (58.5)

ACCESSORIES

Model	Finish	Description	USD	WT lb (kg)
PIDP515TLSS	N/A	Viking Outdoor SS door panel - LH	\$461	14 (6.3)
PIDP515TRSS	N/A	Viking Outdoor SS door panel - RH	\$461	14 (6.3)
DPFGIM	N/A	Ice Machine Drain Pump	\$857	5 (2.3)
IMC16OZ	N/A	Ice Machine Cleaner Case	\$43	1.6 (0.8)

Stainless Steel Cabinets



VQBO5420

Grill Base*

- Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- · Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Drawers equipped with full extension slides
- · Heavy-duty adjustable legs
- · Optional toe kick included
- VQBO5420: 42 1/4"W. x 29 7/8"D. x 34 1/2"H. grill base
- For use with any Viking VQGI 42"W. Outdoor 5 Series grill
- VQBO5540: 54 1/4"W x 29 1/8"D. x 34 1/2"H. grill base
- For use with any Viking VQGI 54"W. Outdoor 5 Series grill

Model	Finish	Description	USD	WT lb (kg)
VQBO5420	SS	42"W. 5 Series Grill Base	\$4,036	235 (106.6)
VQBO5540	SS	54"W. 5 Series Grill Base	\$4,828	235 (106.6)



Double Side Burner Base*

- · Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- · Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- · Heavy-duty adjustable legs
- · Optional toe kick included
- · VBBO5160
- 14.5"W. x 29 1/2"D. x 34 1/2"H. side burner base
- · For use with Viking VQGSB Outdoor double side burners

Model	Finish	Description	USD	WT lb (kg)
VBBO5160	SS	5 Series Double Side Burner Base	\$1,649	104 (47.2)



Power Burner Base*

- Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Heavy-duty adjustable legs
- Optional toe kick included
- · VBBO5260
- 20.25"W. x 29 %"D. x 34 ½"H. multi-use base
- For use with Viking VQGPB outdoor power burner

Model	Finish	Description	USD	WT lb (kg)
VBBO5260	SS	5 Series Power Burner Base	\$1,979	160 (72.6)



Undercounter Refrigeration Base*

- · Commercial-type construction, design and styling
- ${\boldsymbol{\cdot}}$ All cabinets are constructed completely of heavy-duty stainless steel
- Optional toe kick included
- · VURO3200
- 32"W. x 30"D. x 34 1/2"H. refrigeration base
- · For use with Viking 24"W. refrigeration products

	Model	Finish	Description	USD	WT lb (kg)
VURC	3200	SS	5 Series UC Refrigeration Base	\$2,177	125 (56.7)

*Note - Appliances are not included with cabinet and must be purchased separately. All cabinets must be installed with locally supplied countertop.

Stainless Steel Cabinets



Outdoor Stainless Steel Base Cabinets*

- · Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Heavy-duty adjustable legs
- · Optional toe kick included
- For general use in cabinet runs
- **VBO1811** 18"W. x 29 1/8"D. x 34 1/2"H. base cabinet
- **VBO1830** 18"W. x 29 %"D. x 34 $\frac{1}{2}$ "H. base cabinet
- VSBO2402 24"W. x 29 %"D. x 34 ½"H. sink base cabinet
- VTPO1810 18"W. x 29 %"D. x 34 1/2"H. trash pullout base cabinet

Model	Finish	Description	USD	WT lb (kg)
VBO1811	SS	18"W. 2 Drawer Base	\$2,210	141 (63.7)
VBO1830	SS	18"W. 3 Drawer Base	\$3,233	156 (70.8)
VSBO2402	SS	24"W. Sink Base	\$2,210	165 (74.8)
VTPO1810	SS	18"W. Trash Pullout Base	\$2,463	145 (65.8)

^{*}Note - All cabinets must be installed with locally supplied countertop. Sink is not supplied with VSBO2402.

Stainless Steel Cabinet Accessories

Filler Strips and Inner and Outer Corner Units

- Attach between cabinets to separate cabinets and create turns
- Sides are to be mounted flush with doors and not the cabinet face
- Optional toe kick included

Model	Finish	Description	USD	WT lb (kg)
VCF90	SS	Corner filler strip (for use in 90° cabinet bends)	\$241	5 (2.3)
VCF135	SS	Corner filler strip (for use in 135° cabinet bends)	\$329	5 (2.3)
VFLR4	SS	General filler strip used to separate appliance based cabinets	\$241	5 (2.3)
VFLR8	SS	General filler strip used to separate appliance based cabinets	\$340	9 (4.1)
VOCF90	SS	Outer corner filler strip used to connect two back panels at a 90° angle and add countertop support.	\$1,583	40 (18.1)
VOCF135	SS	Outer corner filler strip used to connect two back panels at a 135° angle and add countertop support.	\$1,583	40 (18.1)

Cabinet Side Panels

- Heavy-duty stainless steel
- Used to finish sides of base cabinets at the end of the cabinet run
- Fit flush into recessed sides of cabinets
- Optional toe kick included

Model	Finish	Description	USD	WT lb (kg)
VSP30	SS	To finish the side of any base cabinet at the end of a run	\$714	16 (7.3)

Viking Back Panels For Use In Custom Island Applications

- Heavy-duty stainless steel
- For use in custom island installations
- Individual back panels for each Viking outdoor cabinet
- 3/4" thickness will add to the depth of the cabinetry
- Optional toe kick included

Model	Finish	Description	USD	WT lb (kg)
VBP14	SS	14.5"W. back panel - For use with VBBO5160	\$329	10 (3.7)
VBP18	SS	18"W. back panel - For use with VBO1811/ VBO1830/VTPO1810	\$351	12 (5.4)
VBP20	SS	20"W. back panel - For use with VBBO5260	\$472	15 (6.8)
VBP24	SS	24"W. back panel - For use with VSBO2402	\$472	17 (7.7)
VBP32	SS	32"W. back panel - For use with VURO3200	\$626	21 (9.5)
VBP42	SS	42"W. back panel - For use with VQBO5420	\$725	25 (11.3)
VBP54	SS	54"W. back panel - For use with VQBO5540	\$978	32 (14.5)
VBPFLR4	SS	4"W. back panel - For use with VFLR4	\$296	5 (2.3)
VBPFLR8	SS	8"W. back panel - For use with VFLR8	\$351	9 (4.1)