

LISTA DE PRECIOS

2025





H O M E A www.homea.mx Email: ventas@homea.mx Whatsapp: (442)258.0251 Tel: (442)216.3552 Lada sin Costo: 01(800)701.2121


COD-11022025

REFRIGERATION

Freedom[®] Collection REFRIGERATION

Thermador's ingenious Freedom[®] Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in refrigeration columns, freezer columns, bottom freezers and wine refrigeration are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:



To enhance the Freedom[®] Collection, please see our accessories section on page 1-11.

REFRIGERATOR COLUMNS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

All 23.5"/24"/30"/36" Refrigerator Columns include the following features:

- Fully Flush
- Freedom[®] hinge
- All-LED sidewall filte ed theater lighting
- Cold Air System
- ThermaFresh[®] system
- Carbon air filte
- SuperCool function

- Stainless steel interior
- Full-extension SoftClose[®] drawers
- TFT Control
- Full-length cantilever racks
- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes
- Star-K certifie
- ENERGY STAR[®] certifie
- Extremely quiet
- Reversible door swing •
- O Home Connect

Step 1: Refrigerator Columns







T24IR905SP	24" Fresh Food Column	\$11,915
T30IR905SP	30" Fresh Food Column	\$12,705
T36IR905SP	36" Fresh Food Column	\$13,494



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATOR COLUMNS

Model			
Number	Description	PRICE	
Step 2: Panels		6.1	
	rigerator Columns are panel ready. Apply custom panels or ch steel panel options:	noose one of the	
Flat Stainless Stee	el Door Panels for Flush Installations		
TFL24IR800	24" Stainless Steel Panel	\$809	
TFL30IR800	30" Stainless Steel Panel	\$896	
TFL36IR900	36" Stainless Steel Panel	\$1,619	
Flat Stainless Stee	el Door Panels with No Holes		
TFL24IR905	24" Single Door No Hole Flat Panel	\$809	
TFL30IR905	30" Single Door No Hole Flat Panel ¹	\$896	
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,619	

Step 3: Handles

For stainless steel handle options, please see page 1-15

Step 4: Optional Accessories

FRAMEKIT10	Freedom [®] Frame Kit	\$162
	(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side	
	trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)	FRAMEKIT10
HEATRKIT20	Freedom [®] Heater Kit	\$924
	(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any	HEATRKIT20
	installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

FREEZER COLUMNS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model Number

Description

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- Fully Flush
- Freedom[®] hinge

- TFT Control
- Stainless steel interior
- Full-length cantilever racks
- Filtered internal diamond ice maker
- Door open alarm
- Open door assist
- Step 1: Freezer Columns with Internal Ice Maker

• All-LED sidewall filte ed theater lighting

• Full-extension SoftClose[®] drawers

• Height-adjustable glass shelves

• Ice drawer with ice bin

• SuperFreeze[®] function

Reversible door swing





T30IF905SP

• Star-K certifie

• Extremely quiet

Home Connect

•

ENERGY STAR[®] certifie

• Side-by-side kit included



• Sabbath/Economy/Vacation modes

T18IF905SP	18" Freezer Column (Internal Ice Maker)	\$10,677	
T24IF905SP	24" Freezer Column (Internal Ice Maker)	\$11,434	
T30IF905SP	30" Freezer Column (Internal Ice Maker)	\$12,191	
T36IF905SP	36" Freezer Column (Internal Ice Maker)	\$12,949	

T18IF905SP

T24IF905SP

Step 1: Freezer Columns with External Ice and Water Dispenser

••••p			
 External Filtered Ice Water Dispenser FreeFlow[®] diamond 	dispenser • Capacitive touch control	 Available in right-hand or left-hand door swing (not reversible) 	
ice system	dispenser	 Stainless steel interior 	
T18ID905LP	18" Freezer Column (External Ice and Water Dispenser, Left Hir	12,191 \$12,191	
T18ID905RP	18" Freezer Column (External Ice and Water Dispenser, Right H	linge) \$12,191	• 🗮 • 🚞
T24ID905LP	24" Freezer Column (External Ice and Water Dispenser, Left Hi	nge) \$12,949	T18ID905LP T24ID905LP
T24ID905RP	24" Freezer Column (External Ice and Water Dispenser, Right H	\$12,949	


FREEZER COLUMNS

This price list supersedes a	Il previous price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	PRICE	
Step 2: Panels			
All Thermador Fre tainless steel pan	ezer Columns are panel ready. Apply custom panels or choose one c el options:	of the following	
Flat Stainless Ste	el Door Panels for Flush Installations		
TFL18IR800	18" Stainless Steel Panel	\$734	
FL18ID800	18" Stainless Steel Panel for External Dispenser	\$734	
FFL24IR800	24" Stainless Steel Panel	\$809	
FL24ID800	24" Stainless Steel Panel for External Dispenser	\$809	
FL30IR800	30" Stainless Steel Panel	\$896	
FFL36IR900	36" Stainless Steel Panel	\$1,619	
lat Stainless Ste	el Door Panels with No Holes		
TFL18IR905	18" Single Door No Hole Flat Panel ¹	\$734	
FL18ID905	18" External Water Dispenser No Hole Flat Panel	\$734	
FFL24IR905	24" Single Door No Hole Flat Panel	\$809	
FL24ID905	24" External Water Dispenser No Hole Flat Panel	\$809	
FL30IR905	30" Single Door No Hole Flat Panel	\$896	
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,619	

Step 3: Handles

For stainless steel handle options, please see page 1-15.

Step 4: Optional Accessories



1 Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION

INDEX

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model Number

Description

All 30" Bottom Freezers Include the Following Features:

- Fully Flush—installs framed or fully flus
- Touchscreen control panel
- Vivid LED sidewall and theater style lighting
- Full-Extension SoftClose[®] drawers
- SoftClose[®] doors
- Temperature and humidity controlled drawers
- Full-width deli drawer
 - Internal ice maker with filte ed diamond ice and ice scoop
 - SuperCool/SuperFreezer®
 - Adjustable shelves and door bins
 - Gallon size door bins
 - Two evaporators
 - Two compressors

- Carbon air filte
- Door open alarm
- Sabbath/Economy/Vacation modes
- Star-K certifie
- ENERGY STAR[®] certifie
- Extremely quiet
- Refrigerator door swing reversible
- O Home Connect

30" Bottom Freezers



Step 2: Panels

All Thermador Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Do	oor Panels for Flush Installations		
TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	\$896	
Flat Stainless Steel Door Panels with No Holes			
TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	\$896	

Step 3: Handles

For stainless steel handle options, please see page 1-15.

Step 4: Optional Accessories

FRAMEKIT10	Freedom [®] Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps over- come the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)	\$162	FRAMEKIT10
HEATRKIT20	Freedom [®] Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	\$924	HEATRKIT20

	${\operatorname{Bl}}$ previous price lists. Prices listed herein do not include applicable state of	JILT-IN BOTTOM FREEZE	R REFRIGERATION
Model Number	Description	PRICE	
Jnits available pre	e-assembled with stainless steel panels and Pro	fessional or Masterpiece® handles (DR custom panel ready. ¹
			30" Bottom Freezers
Open Door Assist ThermaFresh [®] Sys			
30BB915SS	30" Bottom Freezer, two-door, Masterpiece [®] Handles	\$16,736	
30BB925SS	30" Bottom Freezer, two-door, Professional Handles	\$16,736	
oth SKUs discontin	ue April		
			T30BB925SS
ThermaFresh® Pro drawer automatic the optimal temp humidity to keep longer Internal water dis UltraClarityPro® w	 ally selects perature and food fresh penser with panel Three cameras in fridge for inventory management Stainless steel interior Three tion foregoing drawper 	 Non-slip mats in door bins and drawers prevent items from shifting Door Open Alarm Star-K certifie Trim kit included 	
IEW T30IB100SP	30" Bottom Freezer, Two-Door, Custom-Panel Ready	\$14,918	
Available May			T30IB100SP Image not final; May not be true representation.

DISHWASHERS

INDEX

VENTILATION

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

PRECIOS EN USD, PRECIOS NO INCLUYEN IVA

1 Custom panel option not available for 30" bottom freezers T30BB9_5SS.

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

All 36" Bottom Freezers and French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flus
- All new touchscreen display control panel
- Vivid LED sidewall and theater style lighting
- Cameras in fridge for inventory management
- ThermaFresh[®] Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Full-Extension SoftClose[®] drawers
- Bottom Freezers

- SoftClose[®] doors
- Deli drawer for convenient access to small items
- Non-slip mats in door bins and drawers prevent items from shifting
- Internal water dispenser with UltraClarityPro[®] water filte
- Elevated internal ice maker with diamond ice and ice scoop
- SuperCool and SuperFreeze[®] functions
- Adjustable split level shelving
- Gallon size door bins

- Two compressors
- Two evaporators
- Stainless steel interior
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- Star-K certifie
- ENERGY STAR[®] certifie
- O Home Connect
- Trim kit included

• Refrigerator door swing reversible (T36BB110SS, T36BB120SS, T36IB100SP)

T36BB110SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Masterpiece [®] Handles	\$17,947
T36BB120SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Professional Handles	\$17,947
T36IB100SP	36" Bottom Freezer, Reversible Door, Custom-Panel Ready	\$15,675
		T36BB120SS

French Door Bottom Freezers

T36BT110NS	36" French Door Bottom Freezer, Stainless Steel, Masterpiece [®] Handles	\$18,705	1
T36BT120NS	36" French Door Bottom Freezer, Stainless Steel, Professional Handles	\$18,705	
T36IT100NP	36" French Door Bottom Freezer, Custom-Panel Ready	\$16,433	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. T36BT110NS

BUILT-IN BOTTOM FREEZER REFRIGERATIO)N
--------------------------------------	----

Model Number	Description	erein do not include applicable state or local taxes.	PRICE
Units available pre	e-assembled with stair	nless steel panels and Professional or Master	piece® handles OR custom panel ready
 Installs framed or All new touchscree Vivid LED sidewal style lighting Cameras inside re ment for inventor ThermaFresh[®] Procestor 	fully flus een display control II and theater efrigerator compart- y management to temperature and preserves freshness yer temperature ge to freezer for ity	 Freezers Include the Following Features: SoftClose[®] Doors Deli drawer for convenient access to small items Non-slip mats in door bins and drawers prevent items from shifting Internal water dispenser with UltraClarityPro[®] water filte Elevated dual ice maker with diamond ice, entertaining ice and ice scoop SuperCool and SuperFreeze[®] functions Adjustable split level shelving Gallon size door bins 	 Two compressors Two evaporators Stainless steel interior Door Open Alarm Sabbath/Vacation/Economy modes Star-K certifie ENERGY STAR[®] certifie Mome Connect Trim kit included
French Door Botto			20
T42BT110NS		· Bottom Freezer, Aasterpiece® Handles	\$21,280
T42BT120NS		Bottom Freezer, Professional Handles	\$21,280
T42IT100NP	42" French Door Custom-Panel Re	Bottom Freezer, eady	\$19,008
T48BT110NS		Bottom Freezer, Aasterpiece® Handles	\$24,309 T42BT120NS
T48BT120NS		r Bottom Freezer, Professional Handles	\$24,309
T48IT100NP	48" French Door Custom-Panel Re	Bottom Freezer, eady	\$22,037
		cULus	т48ВТ120NS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

FREESTANDING REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

• Diamond Ice Maker

All Freestanding 36" French Door Refrigerators Include the Following Features:

- Built-in Look Exterior Design • Filtered ice and water • Illuminated Back Wall SuperCool function • ThermaFresh[®] System for Temperature • SuperFreeze[®] function and Humidity Control • Gallon door bins • Stainless Steel ThermaFresh® Mats • Dual Evaporator • Internal Water Dispenser • Dual Compressor
- Carbon air filte
- Door open alarm
- Sabbath/Economy/Vacation modes
- ENERGY STAR[®] certifie
- Home Connect

\$8,489

\$8,489

Bottom Freezers with Stainless Steel Interior

• Counter-depth 72" Tall Appliance

• Star-K certifie

T36FT810NS	36" 3-Door Freestanding French Door Refrigerator with Masterpiece® Handles
T36FT820NS	36" 3-Door Freestanding French Door Refrigerator with Professional Handles



Bottom Freezers with Stainless Steel Interior

 Offers flexible and v storage options with nient multi-door form 	n a conve-		
NEW T36FL810NS	36" 4-Door Freestanding French Door Refrigerator with Masterpiece® Handles	\$8,489	· · · · · · · · · · · · · · · · · · ·
NEW T36FL821NS	36" 4-Door Freestanding French Door Refrigerator with Professional Handles	\$8,489	and the second
Both available January			T36FL810NS

Both available January






SUGGESTED COMBINATIONS

Suggested Combinations

These suggestions are just an example of the extensive range of combinations possible with the Freedom® Collection.





T18IF905SP/T30IR905SF 24"

24" Freezer Fresh Food Column Column

T24IF905SP/T24IR905SP



T24ID905LP/T24IR905SP



54" 24" Freezer Column 30" Fresh Food Column





T24ID905LP/T30IR905SP



T30IB905SP/T24IW905SF



60"

30"

Freezer

30" Fresh Food Column

30"

Bottom

Freezer

T30IB905SP/T30IB905SP

INDEX

*IWD = Ice and Water Dispenser

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-

sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

less than 6" apart but not connected, or for nontraditional

A HEATRKIT20 is recommended for use with any installation

side-by-side combinations without freezer column.

in areas that are subject to extreme humidity.

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

WINE REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number	Description		PRICE	
All 18"/24" Wine	e Refrigeration Include	e the Following Features:		
 Fully Flush 		 Independent humidity control 	 Door open alarm 	
Portable aluminu	im and wenge wood	TET control	 Open door assist 	

- ble aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones: 18" column-two; 24" column-three
- IFI control
- Freedom[®] hinge
- Adjustable LED lighting
- Diamond shaped dowels for vibration control
- Glass door with UV protection

- Open door assist
- Sabbath/Economy/Vacation modes
- Star-K certifie
- Bottle capacity: 18" column-52 bottles; 24" column-92 bottles (750 ml)
- Home Connect







\$9,919

\$10,677

T24IW905SP

T18IW905SP

- 18" Wine Preservation Column 2 - Zone Temperature Control 24" Wine Preservation Column
- 3 Zone Temperature Control



Units compatible with 18" columns, but should be installed to units with SoftClose® Doors. 1

WINE REFRIGERATION

This price list supersedes a	Il previous price lists. Prices listed herein do not include applicable state or local taxes.				
Model Number	Description PRICE				
Step 2: Panels All Thermador Wir stainless steel pan	ne Refrigeration are panel ready. Apply custom panels or cl el options:	noose one of the following			
Flat Stainless Stee	el Door Panels for Flush Installations				
TFL18IW800	18" Stainless Steel Panel	\$734			
TFL24IW800	24" Stainless Steel Panel	\$809			
Flat Stainless Stee	el Door Panels with No Holes				
		\$734			
TFL18IW905	18" Wine No Hole Flat Panel	J/ J4			

Step 3: Handles

For stainless steel handle options, please see page 1-15.

Step 4: Optional Accessories

FRAMEKIT10	Freedom [®] Frame Kit	\$162	
	(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side		
	trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	FRAMEKIT10	
HEATRKIT20	Freedom [®] Heater Kit	\$924	
	(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any	HEATRKIT20	
	installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)		



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. VENTILATION

UNDER-COUNTER

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number PRICE Description All Under-Counter Units Include the Following Features: • Built-in flush design • Star-K certifie

• LED lighting

- Venting grille for full integration
- Fully flush at 24" depth
- Professional Handle, Masterpiece[®] Handle or custom panel options
- ENERGY STAR[®] certifie

• Electronic touch controls for precise temperature management

Glass Door Refrigeration Units

• 5 cu. ft.	Customizable shelving	 Customizable cooling modes: Fridge, Pantry and Bar 	
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing	\$4,946	and a second
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing	g \$4,946	
T24UR915LS	24" Refrigerator, Masterpiece® Handle, Left	Swing \$5,297	
T24UR915RS	24" Refrigerator, Masterpiece® Handle, Rigł	nt Swing \$5,297	T24UR915LS
T24UR925LS	24" Refrigerator, Professional Handle, Left S	Swing \$5,297	
T24UR925RS	24" Refrigerator, Professional Handle, Right	: Swing \$5,297	

		Drav	ver Refrig	eration/Freezer Units
 4.4 cu. ft. SoftClose[®] drawers Drawer open alarm 	 Customizable shelving and drawer dividers Customizable cooling modes: Fridge, Pantry and Bar 	 Quick Chill Removable drawer reasy cleaning	mat for	
T24UR905DP T24UR915DS T24UR925DS T24UC905DP T24UC915DS T24UC925DS	 24" Refrigerator, Custom Panel 24" Refrigerator, Masterpiece[®] Handle 24" Refrigerator, Professional Handle 24" Refrigerator/Freezer, Custom Panel, ice 24" Refrigerator/Freezer, Masterpiece[®] Handle 24" Refrigerator/Freezer, Professional Handle 	e, ice maker	\$7,051 \$6,876 \$6,876 \$7,051 \$7,402 \$7,402	T24UR915DS

T24UC915DS



Glass Door Wine Preservation Units

Under-Counter Wine	Preservation Units		-
 41-bottle capacity 	Tinted UV-resistant tempered Independent temperative	iture	
• Full-extension wenge diamond wine racks	wood glass door control of temperatur	e zones.	
T24UW905LP	24" Wine Pres., Custom Panel, Left Swing	\$6,093	
T24UW905RP	24" Wine Pres., Custom Panel, Right Swing	\$6,093	T24UW
T24UW915LS	24" Wine Pres., Masterpiece [®] Handle, Left Swing	\$6,429	
T24UW915RS	24" Wine Pres., Masterpiece [®] Handle, Right Swing	\$6,429	
T24UW925LS	24" Wine Pres., Professional Handle, Left Swing	\$6,429	
T24UW925RS	24" Wine Pres., Professional Handle, Right Swing	\$6,429	



ACCESSORIES

Model Number	Descripti	on	PRICE					
							Han	dles
When selecting • One 36" har • One 30" har	ndle for each colum ndle and one 36" h	ess steel handles for the Freedom $^{\circ}$ Collection, please o	rder the following:	Refrigerator Columns	Freezer Columns	Freezer Columns with IWD ¹	Bottom Freezer T30IB905SP ²	Wine Refrigeration
	MS30HNDL20	30" Masterpiece® Handle	\$248				1	
	MS36HNDL20	36" Masterpiece® Handle	\$248	1	1	1	1	1
ľ	PR30HNDL20	30" Professional Handle	\$248				1	
ľ	PR36HNDL20	36" Professional Handle	\$248	1	1	1	1	1

BUILT-IN COFFEE MACHINE

T

REFRIGERATION

1 IWD = Ice and Water Dispenser 2 Masterpiece[®]: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

a price list supers		s. Prices listed herein do not include applicable state or local taxes.				
	Model Number	Description	PRICE			
efrigerat	or Columns			T24IR905SP	T30IR905SP	T36IR905SP
	Installation Acc	essories				
	FRAMEKIT10	Freedom [®] Frame Kit (For use with any custom column for instal- lation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)	\$162	•	•	•
	HEATRKIT20	Freedom [®] Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontradi- tional side-by-side combinations, without freezer column. This kit is also recom- mended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an out- side wall.)	\$924	•	•	•
7	Interior Accesso	ories for Refrigerators				
	24HFGALBIN	24" Half-Gallon Bin	\$264	•		
	30HFGALBIN	30" Half-Gallon Bin	\$279		•	
	36HFGALBIN	36" Half-Gallon Bin	\$295			•
	24PRODRAIL	2 4" Produce Railing	\$162	•		
	30PRODRAIL	30" Produce Railing	\$178		•	
	36PRODRAIL	36" Produce Railing	\$209			•
	LPRODBIN10	Large Produce Bin	\$457	•	•	•
	SPRODBIN10	Small Produce Bin	\$410	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

ACCESSORIES

ACCESSORIES

This price list superse	edes all previous price lists.	Prices listed herein do not include applicable state	e or local taxes.							
	Model Number	Description	PRICE							
Freezer Co	blumns			T18IF905SP	T24IF905SP	T30IF905SP	T36IF905SP	T18ID905LP/RP	T24ID905LP/RP	
	Installation Acce	essories								
	FRAMEKIT10	Freedom [®] Frame Kit	\$162							
		(For use with any custom column 24-inch (610 mm) deep cutouts. V trims whose placement between wall and the appliance helps over of unfinished cabinet returns. Not pre-assembled bottom freezers)	Vith two metal side the interior cutout come the challenge	•	•	•	•	•	•	
	HEATRKIT20	Freedom [®] Heater Kit	\$924							
		(For use when columns are less th side by side, or for nontraditional binations, without freezer column ommended to be ordered for use tion in areas that are subject to hi or located next to an outside wall	side-by-side com- . This kit is also rec- with any installa- gh humidity (>65%),	•	•	•	•	•	•	
1 1	Interior Accesso	ories for Freezers								
	ICEBUCKETL	Ice Bucket	\$133	•	•	•	•	•	•	
	Filter Accessori	es								
	REPLFLTR55	Freedom [®] Replacement Water Filter	\$73	•	•	•	•	•	•	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number

Description

PRICE

Number	Description	PRICE														
eezer Refrigera	ation		T30BB9_5SS	T30IB905SP	T30IB100SP	T36BB110SS T36BB110SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
Installation Acce	essories															
COMBIKIT10	Connection Kit	\$154			•	• •		•		•	•	•	•	•	•	•
FRAMEKIT10	Freedom [®] Frame Kit	\$162									\square					
	24-inch (610 mm) deep cutouts. With two trims whose placement between the inter wall and the appliance helps overcome th	metal side ior cutout e challenge		•												
FRAMEKIT30	erators installed in a 24-inch (610 mm) de With two metal side trims whose placeme the interior cutout wall and the appliance come the challenge of unfinished cabinet	ep cutout. ent between helps over- returns.			•					•			•			•
HEATRKIT20	Freedom [®] Heater Kit	\$924									\square					
	side by side, or for nontraditional side-by nations, without freezer column. This kit is mended to be ordered for use with any ir	-side combi- s also recom- istallation		•												
Interior Accesso	ries for Refrigerators															
30HFGALBIN	30" Half-Gallon Bin	\$279	•	•												
30PRODRAIL	30" Produce Railing	\$178	•	•												
LPRODBIN10	Large Produce Bin	\$457	•	•												
SPRODBIN10	Small Produce Bin	\$410	•	•												
Interior Accesso	ries for Freezers Ice Bucket	\$133	•	•												
	eezer Refriger Installation Acce COMBIKIT10 FRAMEKIT10 FRAMEKIT30 FRAMEKIT30 HEATRKIT20 Interior Accesso 30HFGALBIN 30PRODRAIL LPRODBIN10 SPRODBIN10	eezer Refrigeration Installation Accessories COMBIKIT10 Connection Kit (For use with bottom freezers. Use when i bottom freezer refrigerators side-by-side.) FRAMEKIT10 Freedom® Frame Kit (For use with any custom column for insta 24-inch (610 mm) deep cutouts. With two trims whose placement between the inter wall and the appliance helps overcome th of unfinished cabinet returns. Note: Includ pre-assembled bottom freezers) FRAMEKIT30 Frame Kit (For use with any custom panel bottom fr erators installed in a 24-inch (610 mm) de With two metal side trims whose placeme the interior cutout wall and the appliance come the challenge of unfinished cabinet Note: Included with all pre-assembled botton HEATRKIT20 Freedom® Heater Kit (For use when columns are less than 6" ap side by side, or for nontraditional side-by- nations, without freezer column. This kit is mended to be ordered for use with any ir in areas that are subject to high humidity located next to an outside wall.) Interior Accessories for Refrigerators 30HFGALBIN 30PRODRAIL 30" Produce Railing LPRODBIN10 Large Produce Bin SPRODBIN10 Small Produce Bin	eezer Refrigeration Installation Accessories COMBIKIT10 Connection Kit \$154 (For use with bottom freezers. Use when installing two bottom freezer refrigerators side-by-side.) \$162 FRAMEKIT10 Freedom® Frame Kit \$162 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) FRAMEKIT30 Frame Kit \$347 (For use with any custom panel bottom freezer refrig- erators installed in a 24-inch (610 mm) deep cutout. With two metal side trims whose placement between the interior cutout wall and the appliance helps over- come the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) HEATRKIT20 Freedom® Heater Kit \$924 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combi- nations, without freezer column. This kit is also recom- mended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.) Interior Accessories for Refrigerators 300HFGALBIN 30" Produce Railing \$178 LPRODBIN10 Large Produce Bin \$457 SPRODBIN10 Small Produce Bin \$410 <td< td=""><td>eezer Refrigeration Installation Accessories COMBIKIT10 Connection Kit \$154 (For use with bottom freezers. Use when installing two bottom freezer refrigerators side-by-side.) FRAMEKIT10 Freedom[®] Frame Kit \$162 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) FRAMEKIT30 Frame Kit \$347 (For use with any custom panel bottom freezer refrig- erators installed in a 24-inch (610 mm) deep cutout. With two metal side trims whose placement between the interior cutout wall and the appliance helps over- come the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) HEATRKIT20 Freedom[®] Heater Kit \$924 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combi- nations, without freezer column. This kit is also recom- mended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.) • Interior Accessories for Refrigerators 30PRODRAIL 30" Produce Railing \$178 SPRODBIN10 Large Produce Bin \$410 • Interior Accessories for Freezers \$133 •</td><td>eezer Refrigeration SS 600000000000000000000000000000000000</td><td>eezer Refrigeration group of the second second</td><td>eezer Refrigeration group of the second second</td><td>eezer Refrigeration g g g g g g g g g g g g g g g g g g g</td><td>eezer Refrigeration SS 00000000000000000000000000000000000</td><td>eezer Refrigeration group of the second second</td><td>eezer Refrigeration Strong Strog Strong Strong Strog Strong Strong Strong Strong Strog Strong St</td><td>eezer Refrigeration Status Status</td><td>eezer Refrigeration Statute Statut Statute Statute Sta</td><td>eezer Refrigeration Statistic Stati</td><td>eezer Refrigeration Installation Accessories Status Status</td><td>eezer Refrigeration SS 4 3 0001148 00114</td></td<>	eezer Refrigeration Installation Accessories COMBIKIT10 Connection Kit \$154 (For use with bottom freezers. Use when installing two bottom freezer refrigerators side-by-side.) FRAMEKIT10 Freedom [®] Frame Kit \$162 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) FRAMEKIT30 Frame Kit \$347 (For use with any custom panel bottom freezer refrig- erators installed in a 24-inch (610 mm) deep cutout. With two metal side trims whose placement between the interior cutout wall and the appliance helps over- come the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) HEATRKIT20 Freedom [®] Heater Kit \$924 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combi- nations, without freezer column. This kit is also recom- mended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.) • Interior Accessories for Refrigerators 30PRODRAIL 30" Produce Railing \$178 SPRODBIN10 Large Produce Bin \$410 • Interior Accessories for Freezers \$133 •	eezer Refrigeration SS 600000000000000000000000000000000000	eezer Refrigeration group of the second	eezer Refrigeration group of the second	eezer Refrigeration g g g g g g g g g g g g g g g g g g g	eezer Refrigeration SS 00000000000000000000000000000000000	eezer Refrigeration group of the second	eezer Refrigeration Strong Strog Strong Strong Strog Strong Strong Strong Strong Strog Strong St	eezer Refrigeration Status Status	eezer Refrigeration Statute Statut Statute Statute Sta	eezer Refrigeration Statistic Stati	eezer Refrigeration Installation Accessories Status Status	eezer Refrigeration SS 4 3 0001148 00114

ACCESSORIES

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

ns price list superse	Model Number	Prices listed herein do not include applicable state or local taxes. Description	PRICE															
Bottom Fr	eezer Refriger	ation		T30BB9_5SS	T30IB905SP	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
	Filter Accessorie REPLFLTR55	es UltraClarity Pro [®] Water Filter	\$73	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	NEW MS3000IB	10 30" Masterpiece® Handle Kit (Bottom Freezer)	\$770			•												
	NEW PR3000IB1	0 30" Professional Handle Kit (Bottom Freezer)	\$770			•												
	MS3600IB10	36" Masterpiece® Handle Kit (Bottom Freezer)	\$846						•									
	PR3600IB10	36" Professional Handle Kit (Bottom Freezer)	\$846						•									
	MS3642IT10	36"/42" Masterpiece [®] Handle Kit (French Door Bottom Freezer)	\$924									•			•			
	PR3642IT10	36"/42" Professional Handle Kit (French Door Bottom Freezer)	\$924									•			•			
	MS4800IT10	48" Masterpiece [®] Handle Kit (French Door Bottom Freezer)	\$1,000															•
	PR4800IT10	48" Professional Handle Kit (French Door Bottom Freezer)	\$1,000															•

DISHWASHERS

INDEX

his price list super		ts. Prices listed herein do not include applicable state or local taxes.																
	Model Number	Description	PRICE															
Bottom F	reezer Refrige	ration		T30BB9_5SS	T30IB905SP	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	TARIT100ND
	TFL36IB100	36" Stainless Steel Panel Set (Bottom Freezer)	\$1,694						•									
4	TFL36IT100	36" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,770									•						
	TFL42IT100	42" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,848												•			
	TFL48IT100	48" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,924															•
Freestanc	ling Refrigerat	ion		T36ET810NIC		T36FT820NS			I		I				I			
	Filter Accessor REPLFLTR55	ies Freedom [®] Replacement Water Filter	\$73	•		•												

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

ACCESSORIES

ACCESSORIES

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

INDEX

	Model Number	Description	PRICE								
		· · · · · ·			1				1		
nder-Cou	unter Drawer A	ccessories		T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
	MS20HNDL20	20" Under-Counter Masterpiece [®] Handle Kit (Set of 2)	\$462			•			•		
	MS22HNDL25	25" Under-Counter Masterpiece® Handle	\$256	•	•					•	•
	PR20HNDL20	20" Under-Counter Professional Handle Kit (Set of 2)	\$462			•			•		
	PR22HNDL25	25" Under-Counter Professional Handle	\$256	•	•					•	•
	UCTRFLTR10	Under-Counter Filter	\$117				•	•	•		
ine Refr	igeration			T18IW905SP	T24IW905SP						
				T18I	T24I						
	Installation Acc	essories		T18I	T24I						
	Installation Acco	Freedom [®] Frame Kit (For use with any custom column for i 24-inch (610 mm) deep cutouts. With trims whose placement between the i wall and the appliance helps overcom of unfinished cabinet returns. Note : In pre-assembled bottom freezers)	two metal side nterior cutout e the challenge	T18	•						
11		Freedom [®] Frame Kit (For use with any custom column for in 24-inch (610 mm) deep cutouts. With trims whose placement between the in wall and the appliance helps overcome of unfinished cabinet returns. Note : In	nstallation in two metal side nterior cutout e the challenge ncluded with all \$924 5" apart but side-by-side . This kit is also with any installa-	• T18							
	FRAMEKIT10	 Freedom[®] Frame Kit (For use with any custom column for in 24-inch (610 mm) deep cutouts. With trims whose placement between the in wall and the appliance helps overcome of unfinished cabinet returns. Note: In pre-assembled bottom freezers) Freedom[®] Heater Kit (For use when columns are less than a not side by side, or for nontraditional combinations, without freezer column recommended to be ordered for use tion in areas that are subject to high between the set of the set of	nstallation in two metal side nterior cutout e the challenge ncluded with all \$924 5" apart but side-by-side . This kit is also with any installa-	•	•						
	FRAMEKIT10	 Freedom[®] Frame Kit (For use with any custom column for in 24-inch (610 mm) deep cutouts. With trims whose placement between the in wall and the appliance helps overcome of unfinished cabinet returns. Note: In pre-assembled bottom freezers) Freedom[®] Heater Kit (For use when columns are less than end to be side, or for nontraditional combinations, without freezer column recommended to be ordered for use tion in areas that are subject to high hor located next to an outside wall.) 	nstallation in two metal side nterior cutout e the challenge ncluded with all \$924 5" apart but side-by-side . This kit is also with any installa-	•	•						

COLUMN QUICK REFERENCE GUIDE

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

						Quick Re	ference Guide
Step 1: Colum Freedom [®] Column Type	nns and B Width	ottom Freezers Door Swing Type	Step 2: Panels Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Step 3: Handles Masterpiece®	Professional
REFRIGERATOR		S		- Tuner	i unoi		
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle	Order one 36" handle
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	per column Masterpiece®	per column Professional
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905	MS36HNDL20	PR36HNDL20
FREEZER COLU	MNS		I	,	I		I
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece [®] MS36HNDL20	Professional PR36HNDL20
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		TROUTINELED
FREEZER COLU		HIWD ¹	1		I		I
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece® MS36HNDL20	Professional PR36HNDL20
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905		
BOTTOM FREE	ZERS/FREN		1 FREEZERS	1	1		1
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²
WINE REFRIGE	RATION					_	
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle per column
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece® MS36HNDL20	Professional PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

1 IWD = Ice and Water Dispenser

Masterpiece[®]: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20
 Masterpiece[®]: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece[®]: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

COFFEE MACHINE

E

BUILT-IN COFFEE MACHINE

REFRIGERATION

INDEX

VENTILATION

Model Number	Description				
 Equipped with Connected Exp Connect™ that accessibility to with the Coffee Perfect for frequents customization s 8 personalized bins so family member program their family 	erience by Home enables ease of usage, wider variety of beverages World and much more uent selections, coffee ettings store up to beverages with names bers and house guests can avorite drinks— t espresso, to tea,	 Following Features: Easy to read color TFT display illustrates beverage selection, including size and temperature control 1 lb. Bean container Height-adjustable dispenser with dual spouts for brewing 2 cups at a time Beverages can be adjusted in small increments One Touch Function for coffee and milk/froth Fully automatic rinse program 2-disk grinding units made of high performance ceramic disks 	 Built-In water Sensor alerts water level is 81 oz. water Includes Insu stainless stee 	wer for ground old up to two r filte when coffee k low container lated 17 oz. re milk container hardness test	d coffee, level scoops beans and movable er, measuring
TCM24TS	Thermador Built-In	Coffee Machine	Bı \$6,285	uilt-In Coffe	ee Machine
 Includes direct and drain conne AquaStop[®] Plus TCM24PS 	ection with	Coffee Machine	\$6,872	TCM24PS	
Accessories				TCM24TS	TCM24PS

For coffee accessories, please see the Cleaners & Accessories Price List.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

30" Stainless Steel Trim Kit


TCMTK30RS

\$663

.



Built-in OVENS MASTERPIECE[®] & PROFESSIONAL COLLECTIONS



REFRIGERATION

MASTERPIECE[®] SERIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number

Description

All Masterpiece[®] Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- SoftClose[®] doors

Cooking Modes

- True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Air Fry capable when connected to Wi-Fi (except ME301YP & ME302YP models)
- Two-hour self clean
- Sabbath Mode
- Two halogen lights
- Star-K certifie
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- Sensor cooking
- Sensor reheat

30" Masterpiece[®] Single Oven with Professional Handle

- One Full Access[®] telescopic rack and two standard racks
- Silver glass

30" Single Oven, 1 Telescopic Rack

- 4.6 cu. ft. overall oven capacity
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat

Fast preheat

• Meat probe

• Fast preheat

\$4,572



30" Masterpiece® Ovens

ME301YP



30" Masterpiece[®] Single Oven—Deluxe

- One Full Access[®] telescopic rack and two standard racks
- TFT Touch control display
- Silver glass on stainless steel

• Three Full Access[®] telescopic

• TFT Touch control display

Silver glass on stainless steel

ME301WS

racks

MED301WS

MED301LWS

MED301RWS

ME301YP¹

modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

• Five Additional Cooking

4.5 cu. ft. overall oven capacity

• 4.5 cu. ft. overall oven capacity

modes: Speed Convection,

Rotisserie, Broil, Max Broil,

Max Convection Broil, Roast, Dehydrate, Slow Roast

• Eight Additional Cooking

30" Single Oven, 3 Telescopic Racks

30" Single Oven, 3 Telescopic Racks,

30" Single Oven, 3 Telescopic Racks,

Left Side Opening Door

Right Side Opening Door

- 30" Single Oven, 1 Telescopic Rack
- \$7,345

• Commercial-style rotisserie

with 12-pound capacity

Multi-point meat probe





MED301WS







MED301LWS

1 Is not Air Fry capable.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

\$8,300 \$8,807

\$8,807

This price list supersedes all p Model	revious price lists. Pr	rices listed herein do not include applicable state or	r local taxes.		
Number	Descriptior	1			
				3	0" Masterpiece [®] Oven
•		with Professional Handle			
 One Full Access[®] t rack (U) Silver glass 4.6 cu. ft. overall o (U/L) 	·	 Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U) 	 Six Cooking modes Oven: Bake, Variabl Hi, Variable Broil Lo Warm, Sabbath, Fas (L) 	e Broil w, Roast,	
ME302YP ¹	30" Douł	ole Oven, 1 Telescopic Rack (U)		\$7,191	
30" Masterpiece [®] D			07	£ (1)	ME302YP
 Two Full Access[®] to racks (U/L) 	elescopic	• 4.5 cu. ft. overall oven capacity (U/L)	Fast preheat (U/L)Meat probe (U/L)		
TFT Touch controlSilver glass on stai		 Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L) 	···· - · · · · · · · · · · · · · · · ·		
ME302WS	30" Douł Meat pro	ole Oven, 2 Telescopic Racks, be (U/L)		\$11,504	
			07	K SP	ME302WS



1 Is not Air Fry capable.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

INDEX

VENTILATION

$MASTERPIECE^{*}\ SERIES$

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	
		30" Masterpiece [®] Ovens
30" Masterpie	ece [®] Double Oven—Deluxe	

- Three Full Access[®] telescopic racks (U); One Full Access[®] telescopic rack and two standard racks (L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)

modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
Five Additional Cooking

Nine Additional Cooking

modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)

MED302WS 30" Double Oven, 4 Telescopic Racks

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U); Meat probe (L)



MED302WS



\$12,428

30" Masterpiece[®] Ovens

30" Masterpiece® Triple Combination Oven with Speed Oven and Warming Drawer

Speed Oven features:

• 12 ¹/₂" turntable

• 36 Cook Smart[™] Programs

• 1000 W microwave power

- Three Full Access[®] telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Warming Drawer features:

• 2.5 cu. ft. overall capacity

- Touch control
- SoftClose[®] drawer
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer





$MASTERPIECE^{\circ} SERIES$

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model Number

Description

All Masterpiece[®] Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook[®] programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost, Air Fry capable when connected to Wi-Fi
- Easy Clean program

- Fast preheat for five different cooking modes
- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certifie
- 208-240 volts

Masterpiece® Steam and Convection Ovens



Accessorie	S			Ν	Nasterpie	ece®
				30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	\$431	•		

Sabbath Mode

\$8,115

DISHWASHERS

INDEX

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo- sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.
--

Home Connect[™] Speed Convection, Bake, Broil, Roast, • Star-K certifie Convection Bake, Convection Broil, Restaurant-style stainless steel knobs • 208-240 V Convection Roast, Proof, Warm, Pizza, TFT Touch control display **Microwave/Speed Ovens** Dehydrate, Slow Roast, Air Fry capable • Silver glass on stainless steel 1.6 cu. ft. overall capacity ٠ when connected to Wi-Fi SoftClose[®] doors 10 power levels • Two-hour self clean • 4.5 cu. ft. overall oven capacity Sensor cooking • Fast preheat for seven different cooking modes Sensor reheat • Two halogen lights 30" Professional Series Ovens

13 Cooking modes: True Convection,

30" Professional Single Oven—Select

• Thermador Connected Experience with

• One Full Access[®] telescopic Meat probe rack and two standard racks

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

All Professional Series Built-In Ovens Include the Following Features:

30" Single Oven, 1 Telescopic Rack

Description

PO301W

Model Number

30" Professional Single Oven-Deluxe • Additional Cooking modes: • Commercial-style rotisserie Multi-point meat probe Rotisserie, Max Broil, Max with 12-pound capacity **Convection Broil** • Three Full Access[®] telescopic racks **POD301W** \$9,039 30" Single Oven, 3 Telescopic Racks 30" Single Oven, Left Side Opening Door, POD301LW \$9,577 3 Telescopic Racks POD301RW 30" Single Oven, Right Side Opening Door, \$9,577

3 Telescopic Racks







PO301W









This price list supersede	s all previous price lists. Pr	ices listed herein do not include applicable state o	local taxes.		
Model Number	Description			PRICE	
				30" Pro	ofessional Series Oven
	l Double Oven—S	Select			
 One Full Access[®] telescopic Meat probe rack and two standard racks (U/L) 					
PO302W	30" Douk	ole Oven, 1 Telescopic Rack (U/L)		\$12,428	
					PO302W
30" Professiona	l Double Oven—I	Deluxe			
 Three Full Acc racks (U) 	ess® telescopic	 Additional Cooking modes: Rotisserie, Max Broil, Max 	Multi-point meat pMeat probe (L)	robe(U)	
• One Full Acces	ss [®] telescopic tandard racks (L)	Convection Broil (U)			
		la Ouran A Talanania Daala		¢10 E00	

POD302W30" Double Oven, 4 Telescopic RacksPOD302LW30" Double Oven, 4 Telescopic Racks,
Left Side Opening DoorPOD302RW30" Double Oven, 4 Telescopic Racks,
Right Side Opening Door

\$13,582 \$14,585 \$14,585





POD302LW



PROFESSIONAL SERIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number PRICE Description **30"** Professional Series Ovens 30" Professional Triple Combination Oven with Speed Oven and Warming Drawer • Additional Cooking modes: Speed Oven features: Warming Drawer features: Rotisserie, Max Broil, Max • 36 Cook Smart™ Programs • SoftClose[®] drawer **Convection Broil** • 12 ¹/₂" turntable Touch control • Three Full Access[®] telescopic • 1,000 W microwave power • 2.5 cu. ft. overall capacity racks • 450 W heater • Multi-point meat probe • Four heating modes: Low, Medium, High, Proof • Timer 30" Triple Combo Oven with Speed Oven, PODMCW31W \$16,433 **3** Telescopic Racks PODMCW31W SP



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed h	erein do not include applicable state or local taxes.		
Model Number Description		PRICE	
All Professional Series Built-in Steam a	and Convection Ovens Include the Follow	ing Features:	
 Thermador Connected Experience with Home Connect[™] 	Features 17 cooking modes: True Convertion Poly Poly	• Three Full Access [®] telescopic rails	
	Convection, Convection Bake, Bake, Convection Roast, Roast, Convection	 Multi-point meat probe 	
 Large steam cavity 2.8 cu. ft. TFT Touch control display 	Broil, Broil, Pizza, Speed Convection,	 1.4 qt. water tank LED lights Sabbath Mode Star-K certifie 	
 Restaurant-style stainless steel knobs 	Slow Roast, Dehydrate, Proof, Warm,		
 Silver glass on stainless steel 	Steam, Steam Convection, Reheat, Defrost		
 SoftClose[®] doors 	Steam Clean program	 Star-K certine 208-240 V 	
 41 EasyCook[®] programs 	 Fast preheat for five different cooking modes 	- 200-240 V	

Professional Series Steam and Convection Oven

PODS301B

30" Steam and Convection Oven with 3 Telescopic Racks





PODS301B





1 To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. REFRIGERATION

BUILT-IN COFFEE MACHINE

MICROWAVES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

PRICE

All Masterpiece[®] Series Microwaves Include the Following Features:

Stainless Steel, 120 V

Stainless Steel, 120 V

30" Professional Microwave,

- Silver glass on stainless steel
- Sensor reheat

• 10 power levels

Built-In Microwaves

MB30WS

MB30WP

- Touch Control Display • 1.6 cu. ft. overall capacity
- 14 1/8" ceramic turntable
 - 950 W Microwave power
- Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet 30" Masterpiece® Microwave,



Built-In Microwaves

MB30WS \$3,960

\$3,652



MB30WP



24" Built-in Microwave with side swing door and trim kit accessory in 30" • Glass touch controls with white • 16 1⁄2" Glass Turntable display • Microwave Power 1,200 W • 2.1 cu. Ft. overall capacity • Sensor Cooking MBCS 24" Masterpiece® Microwave, Side Swing Door \$1,420 MBCS w/ MBT30CS **Stainless Steel** MBT30CS 30" Thermador Trim Kit, \$571 Standard Microwave, Stainless Steel

MicroDrawer[®] Microwaves

 Built-In MicroDrawer[®] N New hidden control particular opens for enhanced vise Home Connect[®] allows 	 inel; <	• Can Be Installed Flush	
remote monitoring anc the drawer microwave Wi-Fi Connectivity	control		MD24BS
MD24BS	4" MicroDrawer Microwave	\$3,42	22
MD30BS	0" MicroDrawer Microwave	\$3,49	28 MD30BS

1 To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

MICROWAVES/SPEED OVENS

Model Number		. Prices listed herein do not include applicable state			
	Descript	ion		PRICE	
				S	peed Ovens
Built-In Speed Over					
Silver glass on stai		 36 Cook Smart[™] Programs 	 Sensor reheat 		
Full color TFT disp		 10 power levels 	 Convection Bake 		
12¾" ceramic turr		1,000 W Microwave power	• Broil		
1.6 cu. ft. overall c	capacity	 Sensor cooking 	 208 or 240 V, 4 wire connection 	fixe MC30WS	
AC30WS	30" Ma: Stainles	sterpiece [®] Speed Oven, s Steel, 208-240 V		\$4,655	
//C30WP	30" Pro Stainles	fessional Speed Oven, s Steel, 208-240 V		\$5,039	
				MC30WP	
				C US C	COMPLIANT
		OFF	San Area		
		CLEAN MODES TRUE CONV BROIL CONV BAKE	10	0:20	
	51	BROIL CONV BAKE	LIGHT THERE BETTING	0:20	K
	51	BROIL STEAM BAKE EAM CONV TEAM PROGRAMS BAKE CONV ROAST REMOTE START	LUGIT THEM BETTING	0:20	
	51	BROIL STEAM BAKE EAM CONV TEAM PROGRAMS BAKE CONV ROAST REMOTE START	LURT THERE BETTICS	0:20	X
	51	BROIL STEAM BAKE EAM CONV TEAM PROGRAMS BAKE CONV ROAST REMOTE START	LUAT THES ATTICA	2:20	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

WARMING DRAWERS/ACCESSORIES

This price list supersedes	all previous price lists.	Prices listed herein do not include applicable state o	or local taxes.		
Model Number	Descripti			PRICE	
					Warming Drawers
 Standard Warmin Our warming d perfect combin uncompromisin mance, unique features and ele 	rawer is the lation of lg perfor- convenience	 SoftClose[®] door (WD30W only) 2.2 cu. ft. overall capacity Touch Control Display Four heating modes: Low, 	Medium, High, Proof • 450 W heating element • Timer • Plugs into a standard 12 3-prong outlet		WD30WC
WD30W	30" Wa	rming Drawer, Custom Panel Read	y	\$3,431	
WD30WC	30" Wa	rming Drawer, Push to Open		\$3,123	1
 Storage Drawers Our storage dra the perfect con uncompromisin mance, unique features and ele 	awers are nbination of 1g perfor- convenience	• 2.4 or 0.8 cu. ft. overall capacity			SD30WC
SD30WC		rage Drawer (2.4 cu. ft.)		\$1,736	SDS30WC
SDS30WC		rage Drawer, Short Height (0.8 cu. Jnder Steam Oven)	ft.)	\$1,658	}

Accessories **Professional Series** PODMCW31W POD302RW POD301LW POD301RW POD302LW PODS301B POD301W POD302W PO301W PO302W Description Number Blue Metal Knob Kit WKNOBKT3W for Professional Oven \$76 • • • • • • • • • (2 pc.) Side-by-Side Installation • • • TWO30YS \$431 • • Kit for Single Ovens

COOKTOPS


REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

VENTILATION

GAS COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model PRICE Number Description All Masterpiece[®] Series Pedestal Star[®] Burner Gas Cooktops Include the Following Features: • Raised Pedestal Star[®] Burner provides • QuickClean Base[®] contains liquid spills LP conversion kit not included; order superior flame coverage and allows for separately • Sleek glass control panel easier cleanup under each burner Sabbath compliant • High-quality, robust, metal knobs 18K BTU max Two-year warranty Masterpiece[®] Series • Blue indicator light for each burner LR: BTU RR: BTU 10,000 high/1,750 low 8,000 high/1,750 low C: BTU 18,000 high/1,900 low RF: BTU LF: BTU SGSP305TS 10,000 high/1,750 low 8,000 high/1,750 low SGSP305TS 30" Pedestal Star[®] Burner, Stainless Steel, \$3,464 **Five Burners** • ExtraLow[®] Select feature, • Progressive Illuminated light ring around each knob which provides 204 BTU low simmering capability with fiv precise setting cycles LR: BTU RR: BTU GSXP305TS 10,000 high/1,750 low 8,000 high/1,750 low C: BTU 18,000 high/583 XLO RF: BTU LF: BTU 8,000 high/204 XLO 10,000 high/1,750 low SGSXP305TS 30" Pedestal Star[®] Burner, Stainless Steel, \$4,081 Five Burners, ExtraLow[®] Select • Blue indicator light for each burner LR: BTU RR: BTU 12,000 high/1,750 low 9,100 high/1,750 low C: BTU 18,000 high/1,900 low LF: BTU RF: BTU 9,100 high/1,750 low SGSP365TS 12,000 high/1,750 low 36" Pedestal Star[®] Burner, Stainless Steel, SGSP365TS \$3,773 **Five Burners** ExtraLow[®] Select feature, Progressive Illuminated light ring around each knob which provides 204 BTU low simmering capability with fiv precise setting cycles LR: BTU RR: BTU SGSXP365TS 12,000 high/1,750 low 9,100 high/1,750 low C: BTU 18,000 high/583 XLO LF: BTU RF: BTU 9,100 high/204 XLO 12,000 high/1,750 low 36" Pedestal Star[®] Burner, Stainless Steel, SGSXP365TS \$4,697 Five Burners, ExtraLow[®] Select

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

INDEX

This price list supersedes all p Model	previous price lists. Prices listed herein do not include applicable state or	local taxes.
Number	Description	PRICE
All Masterpiece® S • PowerBoost® • 17 power levels	eries Freedom [®] and Liberty [®] Induction Cook • Home Connect [™]	tops Include the Following Features:
		Masterpiece [®] Series
Freedom [®] Inductior	n – 13"×21" Cooking Position with 5,500 W	
 Entire surface of the can be used as on cooking area Up to 6 pots or para automatically recording any position and cousing a full color t Wi-Fi connectivity cooktop and materiation to synchroping on task light a tion fan 	 ing a preset power level simply by moving a pot or pan on the cooktop Cooking Sensor Mode ready (wireless cooking sensor sold separately) Sapphire Glow[®] LED embedded surface lights along sides of cooktop provide visual feedback when 	 TeppanyakiPro[®] mode divides a teppanyaki griddle into one heated and one non-heated area PowerBoost[®] 17 power levels Residual heat indicators Panel Lock Cooking Timer, Kitchen Timer and Stopwatch Timer Power/Amps: 208/240 V, 60 Hz, 30 A
	CIT30YWBB	СІТЗ6УШВ
CIT30YWBB	30" Dark Gray Glass, Frameless Design	Q Q Q \$8,779
	50 Dark Gray Glass, Frameless Design	ψυ,//7
CIT36YWB	36" Dark Gray Glass, Stainless Steel Frame	\$10,068
CIT36YWBB	36" Dark Gray Glass, Frameless Design	\$10,068

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

lodel lumber	Description			PRICE	
					Masterpiece [®] Serie
faces allow f ing zones Cooktop-Ho	exible cooking sur- or tailored cook- • Mo od Sync tra	eatShift [®] has three preset at zones oveMode [®] allows easy nsfer settings iminated touch controls	 Control panel lock Automatic switch Maximum wattage Power/Amps: 208- 60 Hz//50 A 	off e: 7,200 W	CIT30FBG
Left Full Zone 15"×8½" @ ;300 W/3,600 W (PowerBoost [®])	LR: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost [®]) 2,200 W/2 (PowerBoost [®]) 2,200 W/2 (PowerB 2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost [®]) 2,200 W/2 (PowerBoost [®]) 2,200 W/2 (PowerB Left FlexPlus Zone 3 % ₆ " x 11 ¼" 3 % ₆ " x	3,600 W Right Full Zone oost") 15"×8½" @ 3,300 W/3,600 W 3,300 W/3,600 W 8,600 W (PowerBoost") Plus Zone 15"			Q
EW CIT30FE	3G 30" Titanium C Frameless	iray Glass,		\$6,522	
Pan Recogn Touch contr	-		duction cooktops heat ditional gas cooktops	-	Heat Indicator mer
	th 3,600 W v 1	ouch control panel with hite light illumination offers 7 power settings CookSmart	 Power/Amps: 24 60 Hz/30 A Home Connect[™] 	0 V,	Masterpiece [®] Serie
2,200 W/3,60 L	F: 6" @	RR: 11" @ W/3,600 W (PowerBoost [®]) RF: 6" @ W/2,200 W (PowerBoost [®])			CIT304BB
NEW CIT304 Available Apr	1BB 30" Black Gla	iss, Frameless Design		\$5,31	2

ACCESSORIES

	Model Number	Description	PRICE						
Cooktop A	ccessories			Gas Cooktops Star Burner®	Gas Cooktops Pedestal Star®	Electric Cooktops	Freedom [®] Induction	Liberty [®] Induction	Heritage Induction
()p	TEPPAN1321	13"×21" Recommended accessory for Freedom [®] Induction Cooktop	\$770				•		
	 Cast Aluminum (Fits 30" and 36 Star[®] and Pedes Burner Series m Locks into the c 	 5-burner Cast aluminum design allows for even heat distri- bution and fast preheating 	 Non-stick coating for easy cleanup and cooking 	•1	•1				
	SGRIDDLEW	Griddle	\$324						
te O	Allows you to select the temperature of	g Temperature Sensor ct the best way to prepare every food as you wish. f the pot continuously. This allows the power to be ceptional cooking results. The sensor is required to ode	maintained with greater preci-				•		
	TCOOKSENSW	Wireless Cooking Sensor	\$308						
•	SKNOBLUW	Blue Knob Kit, Pedestal Star® Burner Cooktops Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic fi - ish • Easy to install	\$170		•				
	SLPKITW	LP Gas Conversion Kit for Star® Burner Series Cooktops	\$154	•					
**	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star [®] Burner Series Cooktops	\$154		٠				
0	SWOKRINGW	Wok Ring Optimized for operation on Star [®] Burner and Pedestal Star [®] Burner Series cook with up to a 16" wok • Cast iron construction is durable and dishwasher safe	\$154	•	•				

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS


PROFESSIONAL SERIES

T Fits 30" and 36" 5-burner Star[®] and Pedestal Star[®] Burner Series models The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

VENTILATION





INDEX

PROFESSIONAL RANGETOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

All Professional Series Rangetops Include the Following Features:

• Continuous porcelain, easy-to-clean cooking surface • Patented Pedestal Star® Burner with

• Each burner has electronic ignition/

Metallic Blue, PAKNOBLUWR, sold

• Metal knobs (also available in

separately. See page 5-10)

QuickClean Base™

re-ignition;

- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow[®] simmer burners
- Two-year warranty
- Star-K certifie
- 15 Amps

Note

PRICE

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star[®] Burner units). PAALTKITH High Altitude conversion kit is available for all rangetops.

36" Professional Gas Rangetop

• Six Pedestal Star[®] Burners (Two • 15 Amps with ExtraLow[®]).



PCG366W


36" Stainless Steel with **Porcelain Surface**



* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL RANGETOPS





* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description PRICE All Pro Harmony[®] Series Dual Fuel Ranges Include the Following Features: Cabinet-Depth (24") Third element rear 2,750 W convection rately. PAALTKITH High Altitude conversion kit Four pedestal burner range: each front Convection Broil and two rapid, selfburner has output of 18,000 BTU (NG) is available for all Pro Harmony Ranges. clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1¹/₂ hr light-soil Continuous porcelain, easy-to-clean Island trim included clean cooking surface Two-year warranty Secondary oven features: Patented Pedestal Star® Burner with Star-K certifie • 18" auxiliary oven on 48" range only QuickClean Base™ Griddle model: Hidden Thermal Bake, Broil, Warming, Metal knobs (also available in Metallic • 1,630 W electric element, thermostati-Proofing, and 2-hour self-clean Blue, knob kit sold separately. See page cally controlled, non-stick surface coat-5-10

ing, cast-aluminum

 Full Access[®] telescopic racks with integrated easy-grip handle (36" and

Hidden Thermal Bake (2,000 W), Broil

48" ovens: 3; 30" oven: 1)

Main oven features:

(4,000 W),

- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

Professional-style ventilation is HIGHLY **RECOMMENDED** (see Thermador Professional hoods)

36" Dual-Fuel Range

 Six Pedestal Star[®] Burners Thermador Connected (Two with ExtraLow[®]) Experience with Home Connect[™] • Oven features 4.9 cu. ft. overall volume* LR: BTU CR: BTU RR: BTU 15,000 high**/XLO 15,000 high**/3,000 low 15,000 high**/3,000 low LF: BTU CF: BTU RF: BTU 18,000 high**/XLO 18,000 high**/3,000 low 18,000 high**/3,000 low PRD366WHU \$15,509

PRD366WHU

re-ignition

All burners with electronic ignition/

Precision simmering capabilities with

Conversion Kit must be ordered sepa-

two ExtraLow[®] simmer burners

For LP: Natural to LP Gas Field

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

*According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.


The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN OVENS

INDEX

PRO HARMONY[®] SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.







* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-

sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

This price list supersede	es all previous price lists. Prices listed he	rein do not include applicable state or local taxes.	
Model Number	Description		PRICE
All Pro Harmoi	ny [®] Series All Gas Range	s Include the Following Features:	
 Cabinet-Depth 	n (24")	 Gas ranges are field convertible 	 Gas convection oven
• Four pedestal	burner ; range: each front	from natural gas to liquid propane—	• 20,500 BTU bake burner
	tput of 18,000 BTU (NG)	Conversion Kit must be ordered separately	Convection Bake, Thermal Bake (20.500 PTL)
 All burners with re-ignition 	th electronic ignition/	 Island trim included 	(20,500 BTU)
5	orcelain, easy-to-clean	• Two-year warranty	Secondary oven features:18" auxiliary oven on 48" range only
cooking surfac	ce	Star-K certifie	Hidden Thermal Bake, Broil, Warming,
Patented Pede	estal Star [®] Burner with	Griddle model:	Proofing, and 2-hour self-clean
QuickClean Ba	ase™	• 1,630 W electric element, thermostatically	• 2,600 W broil and 1,400 W bake
• Metal knobs (a	also available in Metallic	controlled, non-stick surface coating,	elements,
Blue, knob kit	sold separately. See page	cast-aluminum	 2.4 cu. ft. overall volume*
5-10)		Ovens feature:	Note
 Precision simm ExtraLow[®] sim 	nering capabilities with two mer burners	 17,500 BTU high-intensity infrared broiler 	Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador
<u> </u>	1 11 1.1 11	 Full Access[®] telescopic racks with 	

- Griddle is interchangeable with grill accessory for convenient indoor grilling
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Professional hoods)

- Six Pedestal Star[®] Burners (Two with ExtraLow[®])
- Thermador Connected Experience with Home Connect[™]
- 36" range features 5.1 cu. ft. overall volume*

LR: BTU 15,000 high*		CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high*'		CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	
PRG366WH	36" Sta	inless Steel with Porcelain Surfac	re and	PRG366WH

PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\$11,196

INDEX

* According to AHAM Standards

- ** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners
- convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS


COOKTOPS

36" Gas Range

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



PRG486WDH

LF: BTU

18,000 high**/XLO

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

(6-pass)

CF: BTU

18,000 high**/3,000 low



RF: BTU

18,000 high**/3,000 low



* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PR2488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-

sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

INDEX

	Model Number	Description	PRICE												
Accessorie	S			Ra	ing	eto	ops	Pro	Harr	non	v R	ang	es		
						as	İ		Dual		-	<u> </u>	All (Gas	
					3	36	48			36	48			36	48
					CG364WD	CG366W	PCG486WD			PRD364WDHII	PRD486WDHU		PRG366WH	PRG364WDH	PRG486WDH
	PAGRIDDLE	Griddle sits on top of Grates over two Burners, high-release surface coating	\$308		•	•	•						•		•
	PA12GRILFW	12" Grill Plate Accessory w/ Tray (for Griddle Modules) (Fusion coating) Fusion coated acces- sories offered as an alternative to the "high-release" accessories.	\$493		•		•			•	•			•	•
	PA12GRILLW	12" Grill Plate Accessory w/ Tray (for Griddle Modules) Non-stick (non-fusion) surface coating ("high-release") is easy to clean and durable over time.	\$493		•		•			•	•			•	•
	PA12CHPBLK	12" Maple Chopping Board	\$308		•	•	•			•	•		•	•	•
T	PA12LCVRW	12" Professional Griddle Cover Grill model s not listed in price book.	\$324		•		•			•	•			•	•
5	PWOKRINGHC	Wok Ring Accessory	\$308		•	•	•			•	•		•	•	•
<u>·</u> /	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (4 & 6 Burner)	\$217		•	•	•			•	•				
	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (5 Burner)	\$217												
	PALPKITGA	LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner)	\$308										•	•	
	PALPKITHA5	LP Conversion Kit Pro Harmony Gas Ranges (5 Burner)	\$217												

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supers		Prices listed herein do not include applicable state of	r local taxes.													
	Model Number	Description	PRICE													
Accessorie	S			Ra	nge	etc	ps	F	Pro Ha	arm	ony	y Ra	ang	es		
					G	as		·	Du	ıal	Fue	el -		All (Gas	i
					3	6	48				36	48			36	48
											F	H			Т	: I
					1WD	Ň	PCG486WD			PRD366WHU	NDN	PRD486WDHU		HNN		PRG486WDH
					PCG364WD	G36(G48(366	0364	0486		1725	7985	3486
					Ŭ Ŭ	Ñ D	О Ч			PRI	PR	PRI				PR
	PALPKITGA6	LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner)	\$308													•
	PAALTKITH	High Altitude Kit	\$138													
1 =		Pro Harmony Ranges & Rangetops			•	•	•			•	•	•		•	•	•
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	\$371		•	•	•									
	PARKB30HY	Blue Knob Kit 30" Dual Fuel Harmony	\$384													
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	\$384											•	,	
	PARKB3XIHB	Blue Knob Kit 30/"36" Induction Harmony	\$230													
	PARKB36DHY	Blue Knob Kit 36" Gas/Dual Fuel Harmony	\$384								•				•	
	PARKB36HY	Blue Knob Kit 36" Dual Fuel GR Harmony	\$384							•						
	PARKB48CHY	Blue Knob Kit 48" Dual Fuel Harmony	\$462									•				
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	\$462													•

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

	Model Number	Description	PRICE													
Accessories				Ra	inge	eto	ps	Pro	Ha	rmo	onv	/ Ra	ana	es		
/ (000001105					Ga			T	Dua					All	Gas	
					3	6	48			3	6	48			36	48
					PCG364WD	PCG366W	PCG486WD			PRD366WHU	PRD364WDHU	PRD486WDHU			PRG364WDH	PRG486WDH
F	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	\$647													
F	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	\$739							•	•			•	•	
F	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	\$786									•				•
F.	PA30WLBC	10" Low Backguard for 30"Rangetop	\$324													
F	PA36WLBC	10" Low Backguard for 36" Rangetop	\$415		•	•										
F	PA48WLBC	10" Low Backguard for 48" Rangetop	\$493				•									

REFRIGERATION

BUILT-IN COFFEE MACHINE

PRO GRAND[®] SERIES DUAL-FUEL WITH STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number

Description

All Pro Grand[®] Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Steam and convection oven
- Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19)
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with Four ExtraLow[®] Simmer burners (two farleft pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty[®] surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift[®], Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, nonstick surface coating, cast-aluminum
- LP conversion kit ordered separately for

converting burners for LP gas

- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certifie
- CSA certifie

Oven features:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access® telescopic racks with integrated easygrip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer,

temperature probe, convection conversion

and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook® programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed

Steam Clean function

Warming drawer features:

- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

* According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-

sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all pre	vious price lists. Prices listed herein de	o not include applicable state or	local taxes.	
Model Number	Description			PRICE
				48" Dual-Fuel with Steam Range
 The Ultimate Culinary Six Pedestal Star[®] Big (Four with ExtraLow) 	urners • Griddle, c ®) with optic	convertible to Grill onal accessory LW or PA12GRILFW		
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle	RR: BTU 15,000 high*/XLO	
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	1,630 W (6-pass)	RF: BTU 18,000 high*/XLO	
PRD48WDSGU	48" Stainless Steel wit Porcelain Surface and All Telescopic Oven R			\$28,294 PRD48WDSGU



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP ** 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

PROFESSIONAL SERIES

NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRX4xxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model Number

Description

All Pro Grand[®] Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow[®] Simmer burners (two farleft pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certifie

- All Ovens
- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element
- Note
- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty[®] Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift[®], Timer and a safety shutoff

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

^{*} According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all p	previous price lists.	Prices listed herein do not include applicable	state or local taxes.		
Model Number	Descripti	on		PRICE	
					36" Dual-Fuel Ranges
 Six Pedestal Star[®] (Four with ExtraLo 					SR 52 52
LR: BTU 15,000 high*/>		CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO		
LF: BTU 22,000 XHI*/X	(LO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO		
PRD366WGU	Porcela	inless Steel with in Surface and scopic Oven Racks		\$17,358	PRD366WGU
 Four Pedestal Star (Four with ExtraLo 		 Non-stick surface Electric Griddle, convertible to Gril with optional accessory 			
LR: BTU 15,000 high*/> LF: BTU 22,000 XHI*/X		PA12GRILLW or PA12GRIL Electric Griddle 1,630 W (6-pass)	FW RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO		
PRD364WDGU	36" Sta Porcela	inless Steel with in Surface and scopic Oven Racks	10,000 High 7/20	\$18,590	



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP


NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. DISHWASHERS


INDEX

PRO GRAND[®] SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



60" Dual-Fuel Ranges



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-

sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

^{* 12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRICE

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes Model

Number

Description

All Pro Grand[®] Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®] Burner with QuickClean Base™ (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- · Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow[®] Simmer burners (two farleft pair and two far-right pair)
- Gas ranges are field convertible from natural gas to liquid propanekits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certifie

- Griddle model:
- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Oven features:

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easygrip handles

Large oven:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 6 conventional cooking modes

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 11/2 hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert


Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

48" Gas Range



**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

DISHWASHERS

INDEX

PRO GRAND[®] SERIES GAS RANGES/PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Descrip	tion					Р	RICE					
Accessorie	•5				ual-Fu th Ste			Dual	Fuel			All	Gas
				48	8"	60"	36"		48	3"	60"		48"
					PRD48WDSGU		PRD366WGU	PRD364WDGU		PRD486WDGU	PRD606WEG		PRG486WDG
	PAGRIDDLE	Griddle sits on top of Grates over two Burners, high-release surf coating	\$308 ace		•		•	•		٠	•		•
	PA12GRILFW	12" Grill Plate Accessory w/ Tray (for Griddle Models)	\$493		•			•		•	•		•
) Fusion coated accessories offe e to the "high-release" accessor											
	PA12GRILLW	12" Grill Plate Accessory w/ Tray (for Griddle Models)	\$493		•			•		•	•		•
		fusion) surface coating ("high-rel and durable over time.	ease")										
	PA12CHPBLK	12" Maple Chopping Board	\$308		•		•	•		•	•		•

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES ACCESSORIES

This price list superse	edes all previous price list: Model	s. Prices listed herein do not include applicab	ole state or lo	ocal taxe	s.								
	Number	Description	PRICE										
Accessorie	!S				ual-Fu th Ste			Dual	Fuel			All	Gas
				48	8"		36"		48	8"	60"		48"
					PRD48WDSGU		PRD366WGU	PRD364WDGU		PRD486WDGU	PRD606WEG		PRG486WDG
T	PA12LCVRW	12" Professional Griddle Cover	\$324		•			•		•			•
6 1	PA24CVRR	24" Cover for Griddle	\$462								•		
0	PWOKRINGHC	Wok Ring Accessory	\$308		•		•	•		•	•		•
	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel Ranges	\$308 ;		•		•	•		•	•		
<u>··</u> /	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranges	\$308										•
	PAALTKITGW	High Altitude Kit, NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	\$138		•		•	•		•	•		•
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	\$384										
	PARKB36GY	Blue Knob Kit 36" Gas Grand	\$384										
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	\$431				•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRx488xx, are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. VENTILATION

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

	Model Number	Description	PRICE										
Accessorie	es				ual-Fu h Stea			Dual	Fuel			All	Gas
				48	3"		36"		48	3"	60"		48"
					PRD48WDSGU		PRD366WGU	PRD364WDGU		PRD486WDGU	PRD606WEG		PRG486WDG
	PARKB48CGY	Blue Knob Kit 48" Combi Grand	\$593							•			
	PARKB48SGY	Blue Knob Kit 48" Combi Steam Grand	\$585		٠								•
	PARKB60CGY	Blue Knob Kit 60" Combi Grand	\$538								•		
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Grand	\$538										
	PA36WTKG	Toe Kick for 36" Pro Grand® Range	\$170				•	•					
	PA48WTKG	Toe Kick for 48" Pro Grand [®] Range	\$170		•					٠			•
	PA60WTKG	Toe Kick for 60" Pro Grand® Range	\$217								•		
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fuel Pro (Ranges	\$739 Grand®				•	•					
	PA48WLBG	7" Low Backguard for 48" Pro Grand [®] Gas Rar	\$786 nges		•					•			•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand [®] Rang	\$862 ge								•		

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

VENTILATION

VENTILATION MASTERPIECE® & PROFESSIONAL COLLECTIONS

		30"	36"	42"	48''	54"/60"
	Low-Profile	HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
T	Masterpiece®	HMDW30WS	HMDW36WS			
WALL	Pro Grand [®]		PH36GWS		PH48GWS	PH60GWS
	Pro Harmony [®]		PH36HWS		PH48HWS	
/ALL	Masterpiece®	HMCB30W5	HMCB36WS			
CHIMNEY WALL	Masterpiece®	HDDB30WS	HDDB36WS			
CHIN	Professional		HPCN36WS		HPCN48WS	
ISLAND	Masterpiece®		HMIB36WS	HMIB42WS		
ISTOM ISERT	Masterpiece®	VCI6B30ZS	VCI6B36ZS			
CUS	Professional		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
DOWNDRAFT	Masterpiece [®]	UCVM30XS	UCVM36XS UCVP36XS	d confidential information. The	undosco er diselacura of eticia	formation without the arise

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

INDEX

Model Number	Description		PRICE
All Wall Hoods	include the following fea	tures:	
 Beautiful illum LED lights 	nination with multi-level,	 Automatic mode detects temperatures to adjust fan speed automatically 	 Check filter reminder light illuminates after 40 hours of operation
panel that pro	k, smooth touch control wides precise performance 4-speed levels	 10-min. delay shut off whisk away lingering odors 	 Accessory options available Built-in remote control panel, sold separate (see page 6-7)

- Equipped with the Thermador Connected Experience by Home Connect[™] mesh filter
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- Brushed stainless steel

- Dishwasher-safe stainless steel covered
- Noise Control Technology™
- Cooktop Hood-Sync Enabled

- d
- Vertical ducting direction
- Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-3)

Masterpiece[®] Series

Drawer Under Cabinet Wall Hood

Drawer Under Cabi		a		
• A masterful blend o and performance w out canopy design	ith a slide-	against surrounding cabine- try, and when pulled forward increases capture area	 600 CFM integral blower included Transition to 6" round and 	HMDW36WS
• When the slide-out is pushed back, it si		• Fan can be activated in the closed or open position	backdraft damper included	Q
HMDW30WS		erpiece®, Under Cabinet all Hood, 600 CFM	\$3,395	5
HMDW36WS		erpiece [®] , Under Cabinet all Hood, 600 CFM	\$3,549	-
Low-Profile Wall Hoc	od			
 Chiseled design tha depth, 11" tall 	ıt is 24"	 16" tall and 28"–65" tall telescopic duct cover 	 Transition to 10" round and backdraft damper included 	
 Approved for use w Professional Series I and Rangetops 		accessory options available, sold separate (see page 6-3)		HMWB30WS
HMWB30WS	30" Low-F	Profile Wall Hood, 600 CFM	\$3,241	
HMWB36WS	36" Low-F	Profile Wall Hood, 600 CFM	\$3,395	5
HMWB361WS	36" Low-F	Profile Wall Hood, 1000 CFM	\$3,549	
HMWB481WS		Profile Wall Hood, 1000 CFM	\$3,703	

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

	Model Number	Description		PRICE						
ccessorie	s—Masterpiec	e [®] Series			Dra	wer	Lo	w F	rof	fil
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	UNAVE A 8 11//C
	filte ed air bac • Replace charce depending on	is not feasible, kit brings k into kitchen pal filter every 3-6 months usage replacement accessory	 Installation Note: RECHMW RECHMWB36 are brushed s and adds 4" height to the a Approved for use with HMV HMWB36WS Low-Profile Se with 600 CFM blowers only 	tainless steel, ppliance. VB30WS and						
	RECHMWB30	Recirculation Kit for HMWB3 Low-Profile Wall Hood, 30		\$1,078						
	RECHMWB36	Recirculation Kit for HMWB3 Low-Profile Wall Hood, 36"		\$1,154				•		
	RECHMDW30	Recirculation Kit for Masterp Under Cabinet Drawer Hood		\$201	•					
	RECHMDW36	Recirculation Kit for Masterp Under Cabinet Drawer Hood		\$201		•				
****	CHFHMDW30	Replacement Charcoal Filter For Masterpiece® HMDW Under Cabinet Drawer Hood		\$154	•					
///K	CHFHMDW36	Replacement Charcoal Filter For Masterpiece® HMDW Under Cabinet Drawer Hood		\$154		•				
		ss Steel Duct Cover " and 20"-54" telescoping	 Can be used with Low-Profiseries Wall Hoods 	le HMWBxxWS						
	DCT3016W	16" Tall Duct Cover for Low- 30" Wide	Profile Wall Hood,	\$1,000						
	DCT3616W	16" Tall Duct Cover for Low- 36" Wide	Profile Wall Hood,	\$1,016				•	•	
	DCT4816W	16" Tall Duct Cover for Low- 48" Wide	Profile Wall Hood,	\$1,047						•
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30"		\$1,154			•			

COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.
Model

	Number	Description	PRICE						
Accessorie	es—Masterpied	e [®] Series		Dra	wer	Lo	w F	rof	il
				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	\$1,170				•	•	
	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	\$1,201						•



This price list supersedes all previ	ous price lists. Prices listed herein c	to not include applicable state or	local taxes		
Model Number	Description	to not include applicable state of	iocai taxes.	PRICE	
 All Professional Wall Add distinct flair to ye bold, stainless steel we design that echoes the of your Thermador kii Powerfully Quiet® opti system accepts integri remote blowers Vertical or horizontal possible 6" tall and 20"–54" ta cover accessory optic separate (see page 6- 	vall hoods with he thoughtful details tchen tional blower ral, inline, and ducting discharge all telescopic duct ons available, sold	Additional Features: Blower options sold se required to complete is the following blowers, (see page 6-6) Integral: VTN1DZ, VT Inline: VTI1FZ ¹ , VTI2F Remote: VTR1FZ, VTF Make-up air damper re (120 V max) Transition to 10" round damper included	nstall. Works with sold separately N2FZ Z R2FZ elay switch	6-7) • Remote blower (page 6-8)	ssory options (see page roof plates (see inline blower extension
				I	Professional Series
 Pro Harmony[®] Wall H Adds distinct flair to yo with bold, stainless st hoods with design the the thoughtful details Thermador kitchen 	eel wall at echoes of your	companion to Pro Professional Ranges 24" depth, 18" tall cial-style stainless le filter			SHWS
PH36HWS	36" Pro Harmony [®] Wa	all Hood, Optional Blo	wer	\$3,703	
PH48HWS	48" Pro Harmony [®] Wa	all Hood, Optional Blo	wer	\$4,089	
Pro Grand [®] Wall Hoo • Equipped with the Th Connected Experience Home Connect [™]	ermador by with bold hoods with the thoug	nct flair to your kitchen , stainless steel wall th design that echoes ghtful details of your or kitchen	 Crafted to complected to cooking system v Professional Ran Pro-style 27" depoint Two infrared, 175 lamps (included) 	vith Pro Grand [®] ges pth, 18" tall PH36	GGWS
PH36GWS	36" Pro Grand [®] Wall	Hood, Optional Blowe	•	\$4,011	-
PH48GWS	48" Pro Grand [®] Wall	Hood, Optional Blowe	r	\$4,705	
PH60GWS	60" Pro Grand [®] Wall			\$6,246	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION 6-5

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

	Model Number	Description PF	RICE					
Blowers				Master	rpiece®	Pro	fessio	onal
				-	Downdrait	Wall	Chimney Wall	Custom Insert
				UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	VCINxxGWS
	Integral Blow Integrated time of inst	into ventilation hood at the						
	VTN1DZ	400 CFM Integral Blower \$1,2	58			•		
	VTN2FZ	1,000 CFM Blower \$1,5	78			•	•	•
a	 Inline Blower can along the d between th the exterior 	be mounted luct line e kitchen and e kitchen and be mounted (EXTNCB25W) available for inline blower applica- be for use with Thermac PHxxxWS, HPCNxxW VCINxxGWS,	S,					
	VTI1FZ	600 CFM Inline Blower, \$1,2 6" duct size	58	•	•	•1	•	•2
	VTI2FZ	1,000 CFM Inline Blower, \$1,57 10" duct size	8	•	•	•	•	•
	Roof mount (RFPLTxxP) mount appl	roof or wall mount• 25 ft. cable (EXTNCB25W) • For use with Thermado	S,					
	VTR1FZ	600 CFM Remote Blower, \$1,4 6" duct size	61	•	•	•2	•	•2
	VTR2FZ	1,000 CFM Remote Blower, \$1,5 10" duct size	526	•	•	•	•	•

¹ The 600 CFM blower options are not available with the 60" hood

WALL HOODS

This price list superse		ts. Prices listed herein do not include applie	cable state or local taxes.							N
	Model Number	Description		PRICE						ATIC
Accessorie	es—Profession	al				ro nony	Pr	o Gra	nd	REFRIGERATION
					PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS	
	-	l ess Steel Duct Cover 5" and 20"–54" telescoping 6" Tall Duct Cover for Pro Wall Hoods, 36" Wid	 Can be used with PHxxxWS and Pro Harmony[®] Series W 		•		•			BUILT-IN COFFEE MACHINE
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wid	de	\$770		•		•		BUILT
	DC3689W	8' - 9' Ceilings Telescopi Duct Cover, 36" wide	ng	\$786	•		•			BUILT-IN OVENS
	DC4889W	8' - 9' Ceilings Telescopi Duct Cover, 48" wide	ng	\$817		•		•		
	DC361012W	10' - 12' Ceilings Telesco Duct Cover, 36" wide	oping	\$1,016	•					COOKTOPS
	DC481012W	10' - 12' Ceilings Telesco Duct Cover, 48" wide	oping	\$1,110		•		٠		ONAL SERIES
I	or wall to cor location	e Control tically install on cabinetry ntrol hood in a convenient , smooth remote touch con-	 Compatible with HDDBxxW HMCBxxWS, HMDWxxWS, HMWBxxWS, HMWBxx1WS HPCNxxWS, PHxxxWS, and Series hoods Wired to hood Cable length: 30 ft. 	HMIBxxWS, S,	•	•	•	•	•	VENTILATION PROFESSIO
	REMCPW	Built-In Remote Control	Accessory	\$493						VENT

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

	Model Number	Description		PRICE					
Blower and	d Duct Accesso	ories			P Harr	ro nony	Pr	o Gra	nd
					PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
	• 25-ft. extensio	e Blower Extension Cable on cable for use between ne or remote blower	 Cannot join two cables togeth longer length. 	ner for					
	 Supports PHx: UCVMxxXS, U VCINxxGWS s 		• For use with blowers VTI1FZ, VTR1FZ, VTR2FZ.	VTI2FZ,	•	•	•	•	•
	EXTNCB25W	25-ft Remote & Inline Extension Cable	Blower	\$185					
())	EXTNSET4	3-pc extension set for remote blowers	Inline and	\$245	•	•	•	•	•
	Roof Plates NOTE: Roof plat	e required for roof-mount	application of remote blowers.						
	RFPLT600P	Roof mounting plate f remote blower VTR1F		\$201	-	•	•	•	•
	RFPLT1000P	Roof mounting plate f remote blower VTR2F		\$245	•	•	•	•	•



REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

Model		n do not include applicable state or local taxes.		
Number	Description		PRICE	
All Chimney Wall	Hoods include the follow	ing features:		
 Beautiful illumination LED lights 	ation with multi-level,	 Automatic mode detects temperatures to adjust fan 		eminder light illuminates s of operation
 Dishwasher-safe 	filter	speed automatically	• Vertical ducti	ing direction
	smooth touch control des precise performance speed levels	• 10-min. delay shut off whisk away lingering odors		te control panel accessor d separate (see page 6-7
 Equipped with the Experience by H A perfect complete Thermador Mass Brushed stainles 	the Thermador Connected Nome Connect [™] ement to the sleek terpiece [®] Series cooktops is steel cal point of the room modern feel	 ade these Additional features: 600 CFM integral blower Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings Transition to 8" round and backdraft damper included Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings available, sold separate (see page 6-12) 	sold separate	to recirculation, accessory e (see page 6-12 filters with stainless stee ing direction
				Masterpiece [®] Serie
 Streamlined, cor low-profile desig pyramid canopy HMCB30WS HMCB36WS 	gn with 5" height 30" Masterpiece [®] P 600 CFM	Control Technology™ yramid Chimney Wall Hood, yramid Chimney Wall Hood,	\$3,935 \$4,089	HMCB30WS
 Drawer Chimney A masterful bler and performanc slide-out canopy that can be push increased head forward for increased 	nd of luxury area e with unique v design the open ned back for room or pulled	activated whether in en or closed position Control Deluxe™		HDDB30WS
		brawer Chimney Wall Hood,	\$4,551	Q
HDDB30WS*	600 CFM			


INDEX


* Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number	Description		PRICE
Number All Professional • Designed to n steel aesthetic Series ranges • Sculpted brush • Creates a foca more contemp • Make-up air d max)		 de these Additional features: Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers 6" tall, 18"- 35" tall telescopic, and 42"- 59" tall telescopic duct cover accessory options available, sold separate (ace page 6 11) 	 PRICE Blower options sold separate and required to complete install. Works wit the following blowers, sold separately (see page 6-6) Integral: VTN2FZ, Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ Accessory options available Remote blower roof plates (see page 6-12)
damper includDuct cover action	led cessory options available, (see page 6-11)	rate (see page 6-11)	 25-ft. remote & inline blower extension cable (see page 6-11)







The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclo-sure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Professional Series

CHIMNEY WALL HOODS

	edes all previous price lists.	Prices listed herein do not include applicable state or local taxes.							
Model Number	Descriptio	n	PRICE						
Accessorie	25			N	laster	piece	9 [®]	Pı Gra	ro and
					vvan			W	all
				HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable							
		e or remote blower • Cannot join two cable ger length.	es together for lon-						
		• For use with blowers CVP36xS and VCINxxGWS • VTR1FZ, VTR2FZ.	VTI1FZ, VTI2FZ,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	\$185						
	EXTNSET4	3-pc extension set for Inline and remote blowers	\$245					•	•
	Duct Cover								
		tall, 18"–35" tall telescopic, • Can be used with HF Il telescopic heights Professional Series C						•	
	CHMHP366W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	\$770					•	
	CHMHP486W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 48" Wide	\$786						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	\$1,000					•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wide	\$1,016						•
	СНМНР36ХТW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	\$1,110					•	
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for	\$1,141						

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. T.

REFRIGERATION

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	PRICE						
Accessor	es		N	laster	piece	e®	Pr Gra	
			Pyr W	amid /all	Dra	wer	W	all
			HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
	Chimney Wall Hood Extension Kits Stainless steel telescopic chimney extension for 9-ft. to 12-ft. tall ceilings							
	CHXTHDDW 9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	\$893			•	•		
	CHXTHMCB 9'–12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	\$893	•	•				
	 Chimney Wall Hood Recirculation Accessories When ducting is not feasible, kit brings filte ed air back into kitchen RECHDDB Recirculation Kit for Masterpiece[®] HDDBxxWS Drawer Chimney Wall Hood Charcoal filter rement accessory a (see below) 	•			•	•		
	RECHMCB Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	\$245	•	•				
	CHFHMCD Replacement Charcoal Filters For Masterpiece [®] HMCB, HDDB, HMIB Recirculation Kit	\$170	•	•	•	•		
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers. RFPLT600P Roof mounting plate for remote blower VTR1FZ	\$201					•	•
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ	\$245					•	•

This price list supersedes al	l previous price lists. Prices listed here	ein do not include applicable state or	local taxes.	
Model Number	Description			PRICE
 Equipped with the Connected Expension Connect 		 tures: Recessed sleek, smoor panel that provides provides provides provides and the speed of the selection with 4-speed end to adjust fan speed and 10-min. delay shut off lingering odors 	recise performance d levels ects temperatures utomatically	 Check filter reminder light illuminates after 40 hours of operation Vertical ducting direction Built-in remote control panel accessory available, sold separate (see page 6-7)
 Low-Profile Island Sleek and slim, t meticulously scul floating stainless hoods catch the obstructing view A perfect comple Thermador Mast Series cooktops Brushed stainless 	hese lpted, steel island eye without rs ement to rerpiece [®] • Cookt • Noise • 600 C • Adjust height ceiling • Transit	op Hood-Sync Enabled Control Deluxe™ FM integral blower cable telescopic chimney ts to fit up to 9-ft. tall s tion to 8" round and raft damper included	 Convertible to r accessory sold s (see page 6-14) Accessory options Duct cover exte accessory for 9- ceilings (see page) 	separate s available ension kit ft. to 12-ft. tall HMIB36WS
HMIB36WS	36" Masterpiece [®] 600 CFM	Box Island Hood,		\$5,355
HMIB42WS	42" Masterpiece [®] 600 CFM	Box Island Hood,		\$5,509



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. COOKTOPS


ISLAND HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Nodel Number	Descrip	tion	PRICE		
Accessor	ies			Master	rpiece®
				Low F	Profil
	Model Number	Description		HMIB36WS	HMIB42WS
	Low-Profile Isla	and Hood Extension Kit			
	 Stainless stee chimney external 12-ft tall ceili 	nsion for 9-ft to Masterpiece® Island Hood		•	•
	CHXTHMIB	9'–12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood	\$1,078		
	Low-Profile Isla	and Hood Recirculation Accessories			
	kit brings filte kitchen • Replace char	g is not feasible, ers air back into coal filter every depending on Compatible with HMIBxxWS Masterpiece [®] Island Hood Charcoal filter replacement accessory available (see below)			
	RECHMIB	Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	\$245	•	•
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	\$170	•	•



CUSTOM INSERTS





CUSTOM INSERTS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Descriptior	1	PRICE	
				Professional Series
 Custom Insert Hoods Equipped with the Th Connected Experience Home Connect[™] Revel in creative freed custom inserts, wheth choose to blend them your surrounding cab create a statement pi bold materials Crafted to complete a ultimate cooking system Thermador Profession ranges and rangetops Brushed stainless steel Dishwasher-safe commany style stainless steel ba filter Beautiful illumination multi-level, LED lights 	e by dom with her you h in with inetry or ece with the em with hal s el mercial- affle with	 Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels Automatic mode detects temperatures to adjust fan speed automatically 10-min. delay shut off whisk away lingering odors Check filter reminder light illuminates after 40 hours of operation Make-up air damper relay switch (120 V max) Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers Includes custom hood trim to complete custom insert installation 	 Vertical ducting Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6) Integral: VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ Transition to 10" round and backdraft damper included Built-in remote control panel accessory available, sold sepa- rate (see page 6-7) Accessory options available Remote blower roof plates (see page 6-8) 25-ft remote & inline blower extension cable (see page 6-8) 	VCIN48GWS
VCIN36GWS	36" Profe Optional	essional [®] Custom Insert, Blower	\$3,272	2
VCIN42GWS	42" Prof Optional	essional [®] Custom Insert, Blower	\$3,426	
VCIN48GWS	48" Prof Optional	essional [®] Custom Insert, Blower	\$3,580)
VCIN54GWS	54" Profe Optional	essional [®] Custom Insert, Blower	\$3,734	L
VCIN60GWS	60" Profe Optional	essional® Custom Insert, Blower	\$3,888	}



CUSTOM INSERTS

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

	edes all previous price lists. Prices listed herein do not include applicable	state or local taxes.									
1odel Iumber	Description	F	RICE								
Accessori	25			Ma	istei	rpie	ce®		P	ro	
						VCI6B30ZS	VCI6B36ZS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN60GWS
	Built-In Remote Control					-	-	-			-
	 Ability to vertically install on cabinetry or wall to control hood in a conve- nient location Built-in sleek, smooth remote touch control panel Compatible with HDDBxxWS, HM HMWBxxWS, HM HPCNxxWS, AN HPCNxxWS, and VCINxxGWS Ser 	MCBxxWS, MIBxxWS, IWBxx1WS, INxxWS,									
[REMCPW Built-In Remote Control Acc	essory	\$493					•	•	•	•
	hood and inline or remote blower g • Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and • F	Cannot join two cables together for ger length. For use with blowers VTI1FZ, VTI2FZ /TR1FZ, VTR2FZ.									
\mathbf{O}	VCINxxGWS series hoods. EXTNCB25W 25-ft Remote & Inline Blowe Extension Cable	er	\$185					•	•	•	•
())	EXTNSET4 3-pc extension set for Inline remote blowers	and	\$245					•	•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount appli	ication of romate blowers									
	RFPLT600P Roof mounting plate for remote blower VTR1FZ		\$201					•	•	•	•
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ		\$245					•	•	•	•
	Charcoal Filters CHFVCI30ZS CHFVCI30ZS Charcoal Filter Kit for 30" Cu	ustom Inserts	\$170	•		•					
	CHFVCI36ZS Charcoal Filter Kit for 36" C VCI6B36ZS and VCI6B36ZS	ustom Inserts	\$170		•		•				

DISHWASHERS

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

PRICE Number Description All Downdrafts include the following features: • Designed for installation with all • Filter maintenance reminder light Downdraft transitions may be required Thermador cooktops except Professional to complete the installation depending Automatic mode on exhaust direction & blower chosen: Series Recirculation possible with electric and [see page 6-20] • All models feature six possible discharge induction cooktops, Accessory Sold CVTSIDE6 CVTRECT2 connections including front, side, down, Separately (UCVRECIRC see page 6-19) CVTSIDE8 CVTFRONT6 and rear as well as recirculation Required To Complete The Installation: CVTSIDE10 CVTFRONT8 Stainless steel • Blower Options, Sold Separately. Works CVDUCT2 CVTFRONT10 • Sleek, removable front filter panel with the following blowers, sold separately Accessory options available design that act as a splatter shield (see page 6-20). Gas cooktop seal kit sold separately, Integral: VTD600P Dishwasher safe mesh filter required for installation with gas cooktops Inline: VTI1FZ, VTI2FZ (UCV30ST, UCV36ST [see page 6-19) Three speeds Remote: VTR1FZ, VTR2FZ • 5' electrical panel extension cable Convenient 10-minute time-delay shutoff feature (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22]) • 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22) Masterpiece[®] Series **Downdraft Ventilation System**



NOTE: Transition required and sold separately for all remote and inline blower installations.

This price list supers	edes all previous price lists. Prices listed herein do not include applicable state or local ta	xes.			
Model Number	Description	PRICE			
Componer	ts		UCVM30XS	UCVM36XS	UCVP36XS
	Downdraft Recirculation Kit				
	 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS down- draft models only Works in wall or island applications When ducting is not fea- sible, kit brings filte ed air back into kitchen after passing through a char- coal filte To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/ socket area 	 Fits in toe-kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 			
	UCVRECIRC Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filter every 3-6 months depending on usage with HDDFILTUC	\$924	•	•	•
	HDDFILTUC Charcoal filter replacement	See Bosch Price List*	•	•	•
	For use with UCVRECIRC recirculation kit (above)				
	Gas Cooktop Seal Kit• For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only• Required for installation with gas cooktops• Includes trim bracket, seal, and 2 metal grills				
	UCV30ST 30" gas cooktop seal kit For UCVM30XS downdraft	\$201	•		
	UCV36ST 36" gas cooktop seal kit	\$201		•	•

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description PRICE			
Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
0.0	Integrated Blower VTD600P 600 CFM, 8" duct size flexible integrated blower \$1,492 Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	•	•	•
	Inline Blowers• Blower can be mounted along the duct line between the kitchen and the exterior wall• 25 ft. cable (EXTNCB25W) available for inline blower applica- tions—sold separately 			
0.	VTI1FZ 600 CFM Inline Blower, \$1,258 6" duct size	•	•	•
The second	VTI2FZ 1,000 CFM Inline Blower, \$1,578 10" duct size	•	•	•
	Remote Blowers • For external roof or wall mount • 25 ft. cable (EXTNCB25W) • For use with Thermador PHxxxWS, HPCNxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods • Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22) • For use with Thermador PHxxxWS, HPCNxxWS, UCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods			
	VTR1FZ 600 CFM Remote Blower, 6" duct size \$1,461	•	•	•
T	VTR2FZ 1,000 CFM Remote Blower, 10" duct size \$1,526	•	•	•
	Downdraft TransitionsTransition(s) may be required to complete the installation of 30" UCVM30XS,36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connectionchosen in combination with the downdraft blower selected (see installation manual)For use with inline and remote blowersCVTSIDE66" side/rear transitionRectangular 1 1/2 "×19" transition to 6" round for\$308side, down and rear exhaust applications	•	•	•
-0	Side, down and rear exhaust applications CVTSIDE8 8" side/rear transition Rectangular 1 % "×19" transition to 8" round for \$308 side, down and rear exhaust applications	•	•	•

odel umber	Description				
Components				UCVM36XS	UCVP36XS
-6	CVTSIDE10 10" side/rear transition Rectangular 1 % "×19" transition to 10" round for side, down and rear exhaust applications	\$308	•	•	•
0	CVTFRONT6 6" round front plate Front rough-in plate for front downward exhaust applications	\$154	•	•	•
0	CVTFRONT8 8" round front plate Front rough-in plate for front downward exhaust applications	\$154	•	•	•
0	CVTFRONT1010" round front plateFront rough-in plate for front downward exhaust applications	\$154	•	•	•
	CVDUCT22' rectangular ductRectangular duct that is2' long × 1 1/8" deep × 19" wide (CVDUCT2) required to connect CVTRECdraft housing. Ability to use as an extension to exhaust through a cabinemodify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 mto connect CVTRECT2 to round ductwork	et or wall. To	٠	•	•
	CVTRECT2 Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	\$154	•	•	•



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION

DISHWASHERS

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Descriptio	n		PRICE								
Blower Accessories				Integrated Inline		Inline	Remote Blowers		Downdraft			
					VTD600P	VTI1FZ	VTI2FZ	VTR1FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
	Remote & Inline 25-ft. extension hood and inline Supports PHxx HPINxxWS, UC VCINxxGWS see	n cable for us e or remote b xWS, HPCNx CVMxxXS, UC	e between olower ger length. xWS, • For use wit	h blowers VTI1FZ, VTI2FZ,								
	EXTNCB25W	25-ft Remo Extension	ote & Inline Blower Cable	\$185		•	•	•	•	•	•	•
())	EXTNSET4	3-pc exten remote blo	sion set for Inline and owers	\$245		•	•	•	•			
Sn	 Electrical Panel For use with 30" UCVM30X 36" UCVM36X 36" UCVP36XS downdraft mod Cable connects remotely locate cal panel to the draft during rel and inline blow installation app EXTNCE5 	S, S, dels only s a ed electri- e down- mote ver motor blications S' Electrica	 Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with down- ward duct discharge so the electrical panel is out of the way Panel Extension Cable 	 Extends electrical panel cable an additional 5' Ability to connect two cables together to make a 10' cable Not to be used to connect the downdraft with inline and remote blowers 								
	Roof Plates NOTE: Roof plat	UCVM36X	raft. For UCVM30XS, S, UCVP36XS downdrafts r roof-mount application of re	emote blowers.						•	•	•
	RFPLT600P		nting plate for ower VTR1FZ	\$201				•				
	RFPLT1000P	Roof mour remote blo	nting plate for ower VTR2FZ	\$245					•	•		



REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

				D0111	I-IN DISITWASHERS
This price list supersedes all previo Model	ous price lists. Prices listed herein do not	include applicable state or	local taxes.		
Number	Description			PRICE	
All Dishwashers includ	le the following features:				
 All Dishwashers includ Superior washing and mance guaranteed Concealed controls Touch Controls Black-shimmer racks we ment A highly flexible rackii 16 place settings 18/10 Stainless steel Powerfully Quiet[®] operation 	I drying perfor- A drives a series of the s	 ures: Sens-a-Wash[®] Advanced Triple Filtration System Leak Sensor and Auto Shut off Home Connect Wi-Fi enabled/Home Connect[™] app compatibility 			ans lay Start art (Connected) SF certified to remove up to
					Emerald Series
 48 dBA Chef's Tool Drawer™ (third rack) Blue PowerBeam[®] "on tor DWHD640EFM DWHD640EFP DWHD640EPR 		ss Steel Emerald® s Steel Emerald®	Additional App-C • Rinse, Machine Additional Option • Extra Dry Additional App-C • Save Time	Care ns:	DWHD640EFM DWHD640EFP DWHD640EFP DWHD640EPR DWHD640EPR
 44 dBA Adjustable Chef's Too Drawer™ (third rack) Flexible folding tines NEW ZoneControl™ S Blue PowerBeam[®] "o indicator Sapphire Glow[®] Interior DWHD660EFM DWHD660EFP 	ol bearing whee upper and th • ENERGY STA Spray Arm ior Light 24" Masterpiece® Stainles 24" Professional Stainless	ird rack \R® certifie ss Steel Sapphire® s Steel Sapphire®	 Additional App-C Rinse, Machine Additional Option StarDry[™] – with an exclusive The drying solution Additional App-C Save Time 	Care, Glass ns: h Zeolite™, ermador Dnly Options: \$3,131 \$3,131	Sapphire® Series
DWHD660EPR	24" Custom Panel Sapph Push To Open feature (Requires Custom Pan	ire [®] with		\$3,131	Home Connect

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

VENTILATION

BUILT-IN DISHWASHERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	PRICE	
			Star Sapphire [®] Series
 42 dBA Premium smooth bearing wheels or upper and third ra Adjustable Chef's Drawer™ (third ra 18 wine glass capa Flexible folding tii NEW ZoneControl Time remaining Poindicator 	n lower, ack Tool ck) acity acity acity nes Toolset Crystal Protect [®] water soften system ENERGY STAR [®] certifie	 Rinse, Machine Care, Glass Additional Options: StarDry™ – with Zeolite™, an exclusive Thermador 	DWHD661EFM DWHD661EFP
DWHD661EFM	24" Masterpiece [®] Stainless Steel Star Sap	ophire [®] \$3,901	DWHD661EPR
DWHD661EFP	24" Professional Stainless Steel Star Sap	ophire [®] \$3,901	
DWHD661EPR	24" Custom Panel Star Sapphire® with Push To Open feature (Requires Custom Panel)	\$3,901	

			Accessories	Emerald Series	Sapphire [®] Series	Star Sapphire® Series
_	Model Number	Description		Em Ser	Sap Ser	Sta Sap Ser
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
\sim	SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle	See Bosch Price List*	•	٠	•
	Holder, Three Pla	astic Item Clips and Small Item Basket.				
	SMZ5002UC	Fine Silverware Carafe with Clip for Emerald® dishwashers (clips onto lower rack)	See Bosch Price List*	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
Q.	SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

^{*} Pricing for the Thermador dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



www.homea.mx Email: ventas@homea.mx Whatsapp: (442)258.0251 Tel: (442)216.3552 Lada sin Costo: 01(800)701.2121